

ЕЛЕКТРОЛУКС
Electrolux



RESTAURANT SUPPLIES INTERNATIONAL

www.electrolux.com.mk

www.elektroluks.com.mk

+389 47 203 900

+389 2 329 8 130

made in macedonia

COFFEE MACHINES



ESPRESSO-MACHINES

COFFEE D'ORO 1 group A1

D'ORO

1 x Espresso full-automatic with 1 group

Model: d'oro A1: with 1 group full automatic espresso.

1024 €



Water capacity: 10 liters
 Water supply: 3/4", 1.5 bar min.
 Function pressure: 1,3 bar.
 Safety valve activation pressure: 3 bar.
 Boiler test pressure: 15 bar.
 Water net pressure: 1,5min-10max.
 Boiler's heating element power: 2kW
 Pump power: 50-60 W.
 Power supply: 230 VAC/50Hz)
 Dimensions: 480X480X580mm.

Water capacity: 10 liters
 Water supply: 3/4", 1.5 bar min.
 Function pressure: 1,3 bar.
 Safety valve activation pressure: 3 bar.
 Boiler test pressure: 15 bar.
 Water net pressure: 1,5min-10max.
 Boiler's heating element power: 3k W. Espresso / 2kW Filter
 Pump power: 120 W.
 Power supply: 2x(230 VAC/50Hz)
 Dimensions: 665X480X580mm.
 Hot plate for jug: 75 Watt

COFFEE D'ORO AIF

1731 €



D'ORO AIF

1 group Espresso full-automatic and filter coffee machine with hot plate on top.

NOVEL INOX A1-AF

NOVEL INOX A1-AUT (AUTOMATIC)

Espresso semi-automatic group coffee machine plus boiling water and steam outlets. CONTROLS: Digital thermometer, pressure switch, electronic water level control, safety valve, protection relay for heating element and status indication lamps.



940 €

1098 €

Water capacity: 5 liters
 Water supply: 3/4", 1.5 bar min.
 Function pressure: 1,3 bar.
 Safety valve activation pressure: 3 bar.
 Boiler test pressure: 15 bar.
 Water net pressure: 1,5min-10max.
 Boiler's heating element power: 2000 W.
 Pump power: 50-60 W.
 Power supply: 230 VAC/50Hz.
 Dimensions: 384X382X380mm.

NOVEL INOX A2-AF

NOVEL INOX A2-AUT (AUTOMATIC)

2 x Espresso semi-automatic groups coffee machine plus boiling water and steam outlets. CONTROLS: Digital thermometer, pressure switch, electronic water level control, safety valve, protection relay for heating element and status indication lamps.



1225 €

1428 €

Water capacity: 10 liters
 Water supply: 3/4", 1.5 bar min.
 Function pressure: 1,3 bar.
 Safety valve activation pressure: 3 bar.
 Boiler test pressure: 15 bar.
 Water net pressure: 1,5min-10max.
 Boiler's heating element power: 3000 W.
 Pump power: 120 W.
 Power supply: 2x(230 VAC/50Hz)
 Dimensions: 665X382X380mm.

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

ESPRESSO COFFEE MACHINES

NOVEL S-AF

(13.054.002)

Boiling water and pressure steam supplying coffee machine

CONTROLS: Digital thermometer, pressure switch, electronic water level control, safety valve, protection relay for heating element and status indication lamps.



Water capacity:	5 liters
Water supply:	3/4", 1.5 bar min.
Function pressure:	1,3 bar.
Safety valve activation pressure:	3 bar.
Boiler test pressure:	15 bar.
Water net pressure:	1,5min-10max.
Boiler's heating element power:	2000 W.
Pump power:	50-60 W.
Power supply:	230 VAC/50Hz.
Dimensions:	384X382X380mm.

725 €

NOVEL A1-AF

(13.053.003)

Espresso semi-automatic group coffee machine plus boiling water and steam outlets.

CONTROLS: Digital thermometer, pressure switch, electronic water level control, safety valve, protection relay for heating element and status indication lamps.



Water capacity:	5 liters
Water supply:	3/4", 1.5 bar min.
Function pressure:	1,3 bar.
Safety valve activation pressure:	3 bar.
Boiler test pressure:	15 bar.
Water net pressure:	1,5min-10max.
Boiler's heating element power:	2000 W.
Pump power:	50-60 W.
Power supply:	230 VAC/50Hz.
Dimensions:	384X382X380mm.

888 €



NOVEL A2-AF

(13.053.004)

2 x Espresso semi-automatic groups coffee machine plus boiling water and steam outlets.

CONTROLS:

Digital thermometer, pressure switch, electronic water level control, safety valve, protection relay for heating element and status indication lamps.

Water capacity:	10 liters
Water supply:	3/4", 1.5 bar min.
Function pressure:	1,3 bar.
Safety valve activation pressure:	3 bar.
Boiler test pressure:	15 bar.
Water net pressure:	1,5min-10max.
Boiler's heating element power:	3000 W.
Pump power:	120 W.
Power supply:	2x(230 VAC/50Hz)
Dimensions:	665X382X380mm.

1157 €

www.electrolux.com.mk

www.elektroluks.com.mk

+389 47 203 900

+389 2 329 8 130

made in macedonia

FILTER COFFEE - MACHINES

PO-2000

(13.021.006)

Stainless steel profi filter coffee machine with one heating plates. Coffee jug is optional.



Duration:

Coffee jug 2lt 6,0'

Hot water jug 4,5'

Heating

element power:

2000 W

Operation voltage:

230 VAC/50Hz.

Dimensions:

205x380x530mm

157 €

PO 1000

(13.021.002)

Filter coffee machine with removable boiler for easy cleaning and convenient front filling.

CONTROLS: Auto-serve switch (starts brewing process), ON/OFF switch, electronic water level control.



Performance:

1 Coffee jug (12 cups) 6,0'

1 Jug hot water 4,5'

Power of boiler's

2000 W

heating element:

Power supply:

230 VAC/50Hz

Dimensions:

205x380x530mm

431 €

PO 3000

(13.021.003)

Filter coffee machine with 2 jug hot plates on the top, removable boiler for easy cleaning and convenient front filling.

CONTROLS: Independent hot plate switches, ON/OFF switch, auto-serve switch (starts brewing process), electronic water level control.



Performance: 1 Coffee jug (12 cups) -> 6,0'

1 Jug hot water -> 4,5'

Power of boiler's

2075 W

heating element:

Power supply:

230 VAC/50Hz

Dimensions:

205x380x530mm

609 €

PO 3000/AUT

(13.021.001)

Filter coffee machine with half or full jug function, 2 jug hot plates on the top, removable boiler for easy cleaning and automatic water filling.

CONTROLS: ON/OFF switch, half or full



Performance: 1 Coffee jug (12 cups) -> 6,0'

1 Jug hot water -> 4,5'

Boiler's

Heating element power:

2075 W

Power supply:

230 VAC/50Hz

Dimensions:

205x380x530mm

667 €

BM-1

(13.021.004)

Single coffee jug hot plate. CONTROL: ON/OFF switch with embodied indication lamp.



Power consumption:

150W

Power supply:

230V AC/50Hz

Dimensions:

205x375x105mm

98 €

BM-2

(13.021.005)

Double coffee jug hot plate unit. CONTROL: ON/OFF switch with embodied indication lamp for each plate.



Power consumption:

75W

Power supply:

230V AC/50Hz

Dimensions:

205x215x105mm

178 €

www.electrolux.com.mk

www.elektroluks.com.mk

+389 47 203 900

+389 2 329 8 130

made in macedonia

BOILERS - COFFEE MIXER

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

ST-5000

(13.054.004)

Stainless steel construction. Automatic steam and hot water producing machine, for continuous operation.



Capacity: 5 liters
 Power consumption: 3000 W
 Power supply: 230 VAC/50Hz
 Dimensions: 300x410x505mm

1173 €

WH-4000

(13.054.006)

Stainless steel construction. Hot water dispenser for various shippings. ON-OFF switch, built in thermostat, drip tray and faucet.



Capacity: 4 liters
 Power consumption: 2000 W
 Power supply: 230 VAC/50Hz.
 Dimensions: 220x400x400mm

273 €

BOILERS COFFEE

Stainless steel boilers AISI 304 18/10 with removable filter. Auto-return tap, made of smell-restraining material. Heat-proof tap and handles. Controlled by a 30-110 °C thermostat and pilot lamp. Special stone wool isolation inside.



	L9	L18	L26
Capacity:(Lt)	9	18	26
Consumption: (W)	2600	3000	3000
Power supply:	230V AC/50Hz		

L9: (13.054.011) **361 €**
 L18: (31.054.012) **463 €**
 L26: (13.054.013) **533 €**

BOILERS

Stainless steel boilers AISI 304 18/10. Auto-return tap, made of smell-restraining material. Heat-proof tap and handles. Controlled by a 30-110 °C thermostat and pilot lamp. Special stone wool isolation inside.



	L9	L18	L26
Capacity:(Lt)	9	18	26
Consumption:(W)	1500	2000	2600
Power supply:	230V AC/50Hz		

L9: (13.054.007) **282 €**
 L18: (13.054.008) **361 €**
 L26: (13.054.009) **416 €**

COFFEE MIXER AK/3-2T

(70.006.002)

Electric coffee mixer




R.P.M: 8000/4000
 Voltage: 220-240V,50/60 Hz
 Power: 150W
 Dimensions: 168x175x485mm
 Weight: 4,450 kg

160 €

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

Stainless steel line CompactBar-500

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES



Working table

400mm
600mm
800mm
1000mm

BX53/040
BX53/060
BX53/080
BX53/100
Models HL:
BX31/040
BX31/060
BX31/080
BX31/100

With removable storages and 1/4" drainage.

Storage for glasses

400mm
600mm
800mm
1000mm

Inox rack
Wired racks

BX25/040 BX38/040
BX25/060 BX38/060
BX25/080 BX38/080
BX25/100 BX38/100

With 1/4" drainage.

Ice cube storage with lid

400mm
600mm
800mm
1000mm

BX54/040
BX54/060
BX54/080
BX54/100
Models HL :
BX16/040
BX16/060
BX16/080
BX16/100

With removable storages and 1/4" drainage.

Storage for baskets

410mm
460mm
510mm

BX22/041
BX22/046
BX22/051

Fits four baskets for glasses 400*400mm
450*450mm or 500*500mm.

Rack

400mm
600mm
800mm
1000mm

Inox rack
Wired racks

BX15/040 BX37/040
BX15/060 BX37/060
BX15/080 BX37/080
BX15/100 BX37/100

Three size stainless steel rack with working surface

Storage for baskets with wheels

410mm
460mm
510mm


BX23/041
BX23/046
BX23/051

Prices upon request

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

Stainless steel line CompactBar-500


Single washin sink with optional door



Models HL:
 BX51/040 BX11/040
 BX51/060 BX11/060
 BX51/080 BX11/080
 BX51/100 BX11/100


Optional door for the models:
 400mm (BX55/040) και 600mm (BX55/060)

Model BX51/040 without cupboard surface. 1 1/4" drainage



BX52/080
 BX52/100

BX12-080
 BX12-100



BX50/040
 BX50/060
 BX50/080
 BX50/100

Models HL :
 BX10-040
 BX10-060
 BX10-080
 BX10-100

Beer serve unit



BX34/060
 BX34/080

TRASH CAN




BX60/040

Wash sink for hands



Models HL:
 BX50/041 : BX50/041


Blender station



Models HL:
 BX62/040
 BX21/040

Washing sink model BX51/040 with rack for blender, 1 1/4" drainage

Storage cupboard



BX61/040
 BX61/060
 BX61/080
 BX61/100

With one or two doors, depends on the item.

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

Cupboard with 1 drawer



BX66/040
 BX66/060

Drawer also optional with door lock.

Cupboard with 3 drawers



BX64/040
 BX64/060

Drawer also optional with door lock.

Storage for bottles




Storage: B01/063

Storage with cover: BX35/060


Storage with cupboard for glasses:
 BX36/060

Corner storage 500*500 with sink



BX17/081

With rack underneath



BX17/080

Corner with upper surface and 3 racks.

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES