




VENTILATORI **Ve**

VENTILATORI DC
VENTILATORI AC
ZATITNE MREZICE





VENTILATORI

VE

DC

Tehnički podaci:

Radni napon: 5, 12 V DC \pm 15%

Temperaturni opseg: -10 ... +70°C

17x17x8

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
0517	34,00	5	1,10	27	0,15	0,75	15000



20x20x10

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
0501	20,00	5	1,10	25,5	0,10	0,5	14000



25x25x10

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
0502	28,00	5	3,4	24,0	0,06	0,72	10000
1202	28,00	12	3,4	24,0	0,06	0,72	10000



30x30x10

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
0503	28,00	5	5,09	27,0	0,18	0,9	8000
1203	28,00	12	5,09	20,5	0,07	0,8	8000



35x35x10

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1235	28,00	12	8,8	25	0,07	0,8	7500



U_{nom} = Nominalni napon, P_{vazd} = Vazduna snaga, I = Struja,
 P_{el} = Električna snaga



VENTILATORI

VE

DC


Tehnički podaci:

Radni napon: 5, 12, 24 V DC $\pm 15\%$

Temperaturni opseg: -10 ... +70°C


40x40x10

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
0504	10,00	5	9,51	24,0	0,11	0,6	6000 \pm 1000
1204	10,00	12	9,51	24,0	0,05	0,6	6000 \pm 1000




40x40x20

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1204A	12,00	12	11,04	25,5	0,07	0,9	6000 \pm 1000
2404A	12,00	24	11,04	25,5	0,05	1,2	6000 \pm 1000




45x45x10

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1245	12,00	12	11,89	27,0	0,06	0,7	5200 \pm 1000




50x50x10

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1205	12,00	12	14,49	26,0	0,09	1,1	4500 \pm 700




52x52x15

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1252	12,00	12	21,06	27,0	0,14	1,7	5000 \pm 700
2452	12,00	24	21,05	27,0	0,08	1,9	5000 \pm 700



55x55x10

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1255	12,00	12	22,1	31	0,08	1,0	5400 \pm 700



U_{nom} = Nominalni napon, P_{vazd} = Vazduna snaga, I = Struja,
 P_{el} = Električna snaga





VENTILATORI

VE

DC


Tehnički podaci:

Radni napon: 12, 24 V DC \pm 15%

Temperaturni opseg: -10 ... +70°C


60x60x25

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1206	14,00	12	36,85	34,0	0,19	2,3	4500 \pm 400
2406	15,00	24	36,85	34,0	0,11	2,6	4500 \pm 400




80x80x25

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1208	10,00	12	70,81	34,0	0,22	2,64	3000 \pm 250
2408	12,00	24	70,81	34,0	0,15	3,6	3000 \pm 250




92x92x25

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1209	12,00	12	84,90	33,0	0,23	2,8	3200 \pm 250
2409	13,00	24	84,90	35,0	0,12	2,88	2800 \pm 250




120x120x25

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1212	28,00	12	149,4	44	0,45	5,4	3000 \pm 250
2412	28,00	24	149,4	44	0,25	6,0	3000 \pm 250



120x120x38

Tip	Cena	U_{nom} (V)	P_{vazd} (m ³ /h)	um (dBA)	I (A)	P_{el} (W)	Br. Obrt. (O/min)
1212A	28,00	12	181,7	41	0,57	6,8	3000 \pm 250
2412A	28,00	24	181,7	41	0,31	7,4	3000 \pm 250



U_{nom} = Nominalni napon, P_{vazd} = Vazduna snaga, I = Struja, P_{el} = Električna snaga



VENTILATORI

VE


AC

Tehnički podaci:

Radni napon: 230 V 50 Hz
 Opseg radnog napona: 185 ... 245 V
 Temperaturni opseg: -10 ... +70°C


80x80x25

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	um (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
2208	28,00	220	28,9	29	0,07	14	2350




80x80x38

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	um (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
2208A	28,00	220	39,0	31	0,07	14	2300



92x92x25

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	um (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
2209	28,00	220	49,2	36	0,07	14,5	2250



120x120x25

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	um (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
2212	28,00	220	108,7	43	0,09	19	2000



120x120x38

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	um (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
2212A	28,00	220	161,3	44	0,14	22	2700



U_{nom} = Nominalni napon, P_{vazd} = Vazduna snaga, I = Struja, P_{el} = Električna snaga




VENTILATORI

VE

ZATITNE MREZICE

VEMR

METALNE VEMRM



Tip	Cena	Za ventilatore
04	3,00	40x40
06	3,20	60x60
08	3,50	80x80
09	3,80	92x92
12	4,00	120x120



PLASTIČNE VEMRP

Tip	Cena	Za ventilatore	
		A x A (mm)	B (mm)
06	2,40	60x60	31,4
08	2,60	80x80	53,6
09	2,80	92x92	76,0
12	3,00	120x120	115,6

