

# Electrolux

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia



RESTAURANT SUPPLIES INTERNATIONAL



**GRIDDLES CREPE MACHINES**

# Griddles & Crepe Machines

## ADVANTAGES

... ENERGY SAVERS  
thanks to special cast iron alloy.



... FITS EVERYWHERE  
thanks to compact design.



... EASY TO CLEAN  
minimum maintenance needed.

... MANY MODELS  
for any need.

... OPERATION OF THOUSANDS MODELS  
highlights quality



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES •••••

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

### 1000-L

(10.023.001)

Electric smooth griddle plate with anti-splash surround and drip tray. Constructed of stainless steel, supplied with a 50-300°C, adjustable thermostat, pilot lamp and a thermal fuse with non-automatic return.

Operating voltage: 230 VAC/50Hz  
Heating element power: 1800W  
Dimensions: 470x375x175mm  
Effective surface: 996cm<sup>2</sup>  
Plate dimension: 415x240mm

160 €



### 1001-LM

(10.023.002)

Electric smooth griddle plate with anti-splash surround and removable drip tray. Constructed of stainless steel, supplied with a 50-300°C, adjustable thermostat, pilot lamp and thermal fuse

Operating voltage: 230 VAC/50Hz  
Heating element power: 3200W  
Dimensions: 490x490x220mm  
Plate dimension: 400x400mm

326 €



### 1001-L

(10.023.003)

Electric smooth griddle plate with anti-splash surround and removable drip tray ( model 1001-L also supplied with storage drawer ). Constructed of stainless steel, supplied with a 50-300°C, adjustable thermostat, pilot lamp and thermal fuse.

Operating voltage: 230 VAC/50Hz  
Heating element power: 3200W  
Dimensions: 460x460x340mm  
Plate dimension: 400x400mm

391 €



### 1002-LR

(10.023.006)

Electric griddle ½ smooth + ½ ribbed plate with anti-splash surround and removable drain drawer. Constructed of stainless steel, supplied with two thermostats 50-300°C, pilot and power lamps and two thermal fuses 210°C.

Operating voltage: 2x(230 VAC/50Hz)  
Power consumption: 2x(3000W)  
Dimension: 660x460x360mm  
Effective surface: 2233cm<sup>2</sup>  
Griddle plate dimension: 620x385mm

529 €



[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

## ELECTRIC GRIDDLES

ЕЛЕКТРОЛУКС  
**Electrolux**

450-LR  
(10.023.021)

Electric stainless steel griddle plate with smooth surface made of steel. Adjusted by two thermostats. Equipped with large fat collector. Temperature 50-300 C.

NEW

Operating voltage: 230 VAC/50Hz  
Heating element power: 3,2 kw  
Dimensions: 460x460x280mm  
Cooking surface: 450x450mm

460 €



1002-R  
(10.023.004)

Electric ribbed griddle plate with anti-splash surround and removable drain drawer. Constructed of stainless steel, supplied with two thermostats 50-300°C, pilot and power lamps and two thermal fuses 210°C.

Operating voltage: 2x(230 VAC/50Hz)  
Power consumption: 2x(3000W)  
Dimension: 660x460x360mm  
Effective surface: 2233cm<sup>2</sup>  
Griddle plate dimension : 620x385mm

518 €



1002-L  
(10.023.005)

Electric smooth griddle plate anti-splash surround and removable drain drawer. Constructed of stainless steel, supplied with two thermostats 50-300°C, pilot and power lamps and two thermal fuses 210°C.

Operating voltage: 2x(230 VAC/50Hz)  
Power consumption: 2x(3000W)  
Dimension: 660x460x360mm  
Effective surface: 2233cm<sup>2</sup>  
Griddle plate dimension: 620x385mm

513 €



1003-LR  
(10.023.007)

Electric griddle plate, high efficiency, with 1/3 ribbed cast iron plate and smooth plate the rest.

Equipped with drip drawer and 2 heated storage drawers. Stainless steel construction with 2 adjustable thermostats 50-300°C, pilot lamps and thermal fuse.

Operating voltage: 3x(380 V+N/50Hz)  
Power: 3x3000W  
Dimensions: 970x535x355mm

1085 €



••••• CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

### 1001-LG

(11.123.001)

Gas griddle with smooth cast iron plate, specially designed burner for temperature uniformity. Pilot-burner, adjustable gas flow, piezo-electric lighter. It is equipped with a drip tray.

Safety: Thermocutting devices restraining the passage of gas in case of a damage.



Power: 6500W  
Dimension: 460x575x400mm  
Plate dimensions: 400x400mm

\*Alternative nozzle for every kind of gas are available on request.

**400 €**

### 1002-LG

(11.123.003)

Gas griddle with smooth cast iron plate, specially designed burner for temperature uniformity. Pilot-burner, adjustable gas flow, piezo-electric lighter. It is equipped with drip drawer.

Safety: Thermocutting devices restraining the passage of gas in case of a damage.



Power: 7500W  
Dimension: 665x575x400mm  
Plate dimensions: 590x385mm

\*Alternative nozzle for every kind of gas are available on request.

**707 €**

### 1002-RG

(11.123.002)

Gas griddle with ribbed cast iron plate, specially designed burner for temperature uniformity. Pilot-burner, adjustable gas flow, piezo-electric lighter. It is equipped with drip drawer.

Safety: Thermocutting devices restraining the passage of gas in case of a damage.



Power: 7500W  
Dimension: 665x575x400mm  
Plate dimensions: 590x385mm

\* Alternative nozzle for every kind of gas are available on request.

**702 €**

### 1002-LRG

(10.123.004)

Gas griddle with ½ ribbed + ½ flat cast iron plate, specially designed burner for temperature uniformity. Pilot-burner, adjustable gas flow, piezo-electric lighter. It is equipped with a drip tray.

Safety: Thermocutting devices restraining the passage of gas in case of a damage.



Power: 7500W  
Dimension: 665x575x400mm  
Plate dimensions: 590x385mm

\* Alternative nozzle for every kind of gas are available on request.

**713 €**

[www.electrolux.com.mk](http://www.electrolux.com.mk)

[www.elektroluks.com.mk](http://www.elektroluks.com.mk)

+389 47 203 900

+389 2 329 8 130

made in macedonia

## LAVASTONES- BARBEQUES

ЕЛЕКТРОЛУКС  
**Electrolux**

### PL-1001-LRG

(10.123.007)

Gas burner volcanic stone grill with drip drawer. Specially designed burner for temperature uniformity. Pilot-burner, burner piezo-electric lighter.

Safety: Thermocutting devices restraining the gas supply in case of a malfunction.



Power: 10500W  
Dimension: 460x470x400mm

\* Alternative nozzle for every kind of gas are available on request.

**507 €**

### PL-1002-LRG

(10.123.008)

Gas burner volcanic stone grill with drip drawer. Specially designed burner for temperature uniformity. Pilot-burner, burner piezo-electric lighter.

Safety: Thermocutting devices restraining the gas supply in case of a malfunction.



Power: 21000W  
Dimension: 665x575x400mm

\* Alternative nozzle for every kind of gas are available on request.

**868 €**

### BBQ

#### GARDEN BARBECUE GRILL

gas

Stainless steel construction, easy to handle and easy to storage. The two feet are breakable, therefore it is very ergonomically.

Two wheel helps the user to carry the BBQ to any place he like. Ideal for outdoor catering. Piezo ignition system.



Dimensions: 1250\*450\*850mm (L\*H\*D)  
Heat input: 6 kW

**474 €**

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

### GAS GRIDDLE CADINA

Gas griddle plate with or without burner with stainless steel surface, specially designed burner for temperature uniformity.

Pilot-burner, adjustable gas flow, pressure-electric lighter. It is equipped with a drip tray.

Safety: Thermocutting devices

\* Alternative nozzle for every kind of gas are available on request.

#### CADINA 1

(10.123.012)

Dimensions: 395X500X370mm

Roasting plate: 395x450mm

Power: 5kW

399 €



#### CADINA 2

(10.123.013)

Dimensions: 570x500x 370mm

Roasting plate: 570x450mm

Power: 10kW

538 €



[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)

+389 47 203 900

+389 2 329 8 130

made in macedonia

.....CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

**CADINA 2K**  
(10.123.015)  
Dimensions: 570x500x 370mm  
Roasting plate: 570x 450mm  
Power: 10kW



667 €

**CADINA 3**  
(10.123.014)  
Dimensions: 570x500x 370mm  
Roasting plate: 820x450mm  
Power: 15kW



710 €

**CADINA 3K**  
(10.123.016)  
Dimensions: 570x500x 370mm  
Roasting plate: 820x450mm  
Power: 15kW



841 €

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia



### VC35-E (10.028.001).

Single electric crepe machine with 1 plate. Temperature control: one thermostat 50-300°C.

Operating voltage: 230 VAC/50HZ  
Heating element power: 2400W  
Plate diameter: 350mm  
Dimensions: 372x372x170mm

289 €



### VC40-E (10.028.003).

Operating voltage: 230 VAC/50Hz  
Heating element power: 2800W  
Plate diameter: 400mm  
Dimensions: 372x372x170mm

326 €



200 €

### NEW ECONOMY LINE

### V2C35-E (10.028.002)

Double electric crepe machine with 2 plates. Temperature control: two thermostats 50-300°C.

506 €

### V2C40-E (10.028.004)

Operating voltage: 230 VAC/50Hz  
Heating element power: 5600W  
Plate diameter: 400mm  
Dimensions: 762x372x170mm

580 €



### V2C35-E

Operating voltage: 230 VAC/50Hz  
Heating element power: 4800W  
Plate diameter: 350mm  
Dimensions: 762x372x170mm

### VC40-G

(11.128.001)

Single gas crepe machine with 1 plate. Control: Thermocutting devices restraining the passage of gas in case of a damage

\*Alternative nozzle for every kind of gas are available on request.

Plate diameter: 400mm  
Dimensions: 420x510x245mm  
Heat input: 6,5kW

343 €



### NEW ECONOMY LINE

228 €



### V2C40-G

(11.128.002)

Double gas crepe machine with 2 plates.

Control: Thermocutting devices restraining the passage of gas in case of a damage

\*Alternative nozzle for every kind of gas are available on request.

Plate diameter: 400mm  
Dimensions: 870x510x245mm  
Heat input: 13kW

651 €

