






NOWA ISR 700

Chlorine based industrial foaming cleaner



Ingredients:

Contains anionic and non-ionic surfactants, potash lye, sodium hypochloride, complexants, solubilizers. pH value approx. 13,5.

Performance:

Owing to its high surfactant content combined with natron soda lye, nowa ISR 700 is one of the strongest cleaning products available. Disinfectant action.

Application notes:

For cleaning all kinds of surfaces that are largely tolerant of alkalis in food-processing premises, e.g. abattoirs, bakeries, food-smoking/curing operations, canteens, etc. Can be used on tiles, floors, doors, conveyor belts and trolleys, workbenches, chopping blocks and boards, etc. Excellent for use with high and low-pressure equipment. Caution: attacks aluminum, brass and copper.

Usage:

Meter out the dose with high-pressure equipment via the injector or with special foaming equipment. Apply to the surface at a concentration for use of 3% to 5% or 300 to 500 ml to 10 liters water (depending on degree of soiling) at 0 to 60°C water temperature. Leave to take effect for approx. 5 to 30 minutes. Then rinse off thoroughly with clean water.

Precautions for use:

Contains >5% potassium hydroxide, <5% active chlorine. Causes severe burns. Produces toxic gas in contact with acid. Keep out of reach of children. In case of contact with the eyes, rinse immediately with plenty of water and seek medical advice. Take off immediately all contaminated clothing. After contact with the skin, wash immediately with plenty of water. Wear suitable protective clothing, gloves and eye/face protection..

Ecology:

This product is subject to regulations governing the environmental compatibility of washing and cleaning agents and the associated regulations on the biological degradability of the raw materials used.

Comprehensive information on the environmental characteristics of this product is available on request.

Give only completely emptied packaging to special waste disposer.

This product is designated for industrial use.

Waste Key: 070608

UBA 0947 0498

Art.-Nr.: 02154	12 kg
Art.-Nr.: 02745	35 kg

