

ЕЛЕКТРОЛУКС
Electrolux



RESTAURANT SUPPLIES INTERNATIONAL

www.electrolux.com.mk
www.elektroluks.com.mk
+389 47 203 900
+389 2 329 8 130
made in macedonia

KEBAB MACHINES



Kebab machines

ADVANTAGES

**...The fastest machine.
From zero to first cut it is 12 min.**


**...Ergonomical construction.
Covers user's needs.**

**...Absolute power control saves you en-
ergy.**

**...Years of experience turns out kebab
to a money maker.**

...Various models to meet any need..

www.electrolux.com.mk
www.elektroluks.com.mk
+389 47 203 900
+389 2 329 8 130
made in macedonia



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

Electric Kebab Knife

Electric stainless steel knife for easy and fast kebab cutting. Comes with switch on/off button and foot pump safety activation of knife.

Dimensions 110x220mm
Knife: 110mm Ø
Power: 0,075 Kw

600 €



3PE

(12.024.001)

Electric gyros grill machine with mechanical adjustment of gap between the rotary spit and the heating elements. Includes 3 heat controlled zones, removable for easy cleaning. Also equipped with spit and holder, plug for electric knife and motor switch. (position ON/OFF).

Operating voltage: 3x230 VAC/50Hz
Power: 8400W
Dimensions: 545x600x950mm

760 €



4PE

(12.024.002)

Electric gyros grill machine with mechanical adjustment of gap between the rotary spit and the heating elements. Includes 4 heat controlled zones, removable for easy cleaning. Also equipped with spit and holder, plug for electric knife and motor switch. (position ON/OFF).

Operating voltage: 3x230 VAC/50Hz
Power: 12600W
Dimensions: 500x615x1380mm

904 €



www.electrolux.com.mk
www.elektroluks.com.mk
+389 47 203 900
+389 2 329 8 130
made in macedonia

2PE-K

(12.024.003)

Electric gyros grill machine. Stainless steel construction with 1 motor, 2 main switches, spit, and holder, plug for electric knife.

Power consumption:	5250W
Operating voltage:	3X230VAC
Dimensions:	480x510x915mm
Capacity:	20-30 kgr
Motor:	2 rotation/min

**624 €****3PE-K**

(12.024.004)

Electric gyros grill machine. Stainless steel construction with 2 switches, spit and holder, plug for electric knife. Adjustable distance of meat to heating elements, 2 horizontal independently controlled zones, hinged elements for easy cleaning of the reflector. ensure the perfect function and cover the certification of hygiene.

Power consumption:	7000W
Dimensions:	480x510x1050mm
Operating voltage:	3X230VAC
Capacity:	40kg
Motor:	2 rotation/min

**725 €****4PE-K**

(12.024.005)

Electric gyros grill machine. Stainless steel construction. With 3 motor switches. Spit and holder/plug for electric knife.

Power consumption:	10500W
Dimensions:	480x510x1185mm
Motor:	2 rotation/min
Capacity:	50-60kgr
Operating voltage:	3*230vac

**891 €**

4PG (NA)e

(12.124.016)

Gas grill with 4 burners (2 sections). Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input:	5,4 kW	
Gas Consumption:	Propan G31:	0,42kg/h
	Natural gas G20:	0,57m3/h
	Natural gas G25:	0,67m3/h
Capacity:	20 kg	
Dimensions:	380X420X1150mm	

DRIP DRAWER INCLUDED



2PG (NA)e

Gas grill with 2 burners (1 section). Equipped with temperature control and thermocouples. Proper for all types of gas. Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input:	2,7 kW
Capacity:	10 kg
Dimensions:	380X420X950mm

DRIP DRAWER INCLUDED



3PG (NA)e

Gas grill with 3 burners (1 section). Equipped with temperature control and thermocouples. Proper for all types of gas. Clockwise turned spit motor 2 rpm 11W/230V-50Hz Bottom placed. Adjustable spit distance.

Heat Input:	4,5 kW
Capacity:	15 kg
Dimensions:	380X420X1050mm

DRIP DRAWER INCLUDED


www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

4PG (NA)e



526 €

2PG (NA)e



358 €

3PG (NA)e



415 €

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFEES

3PG (N)

(12.124.008)

Gas grill with 3 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spits distance.

Heat Input:	8,1 kW	
Gas Consumption:	Propan G31:	0,62kg/h
	Natural gas G20:	1,86m3/h
	Natural gas G25:	0,98m3/h
Capacity:	20 kg	
Dimensions:	550X500X735mm	

742 €



to adjust the spit

4PG (N)

(12.124.006)

Gas grill with 4 burners. Equipped with Temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spits distance.

Heat Input:	10,8 kW	
Gas Consumption:	Propan G31:	0,83kg/h
	Natural gas G20:	1,14m3/h
	Natural gas G25:	1,33m3/h
Capacity:	35 kg	
Dimensions:	550X500X880mm	

880 €



to adjust the spit

5PG (N)

(12.124.007)

Gas grill with 5 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spits distance.

Heat Input:	13,5 kW	
Gas Consumption:	Propan G31:	1,04kg/h
	Natural gas G20:	1,42m3/h
	Natural gas G25:	1,64m3/h
Capacity:	50 kg	
Dimensions:	550X500X1025mm	

1003 €



to adjust the spit

••••• CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia


3PG (NA)

(12.124.010)

Gas grill with 3 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input:	8,1KW	
Gas Consumption:	Propan G31:	0,62kg/h
	Natural gas G20:	0,86m3/h
	Natural gas G25:	0,98m3/h
Capacity:	20 kg	
Dimensions:	470X530X1110mm	

670 €




4PG (NA)

(12.124.009)

Gas grill with 4 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input:	10,8 kW	
Gas Consumption:	Propan G31:	0,83kg/h
	Natural gas G20:	1,14m3/h
	Natural gas G25:	1,33m3/h
Capacity:	35 kg	
Dimensions:	470X530X1150mm	

810 €




5PG (NA)

(12.124.011)

Gas grill with 5 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz upper placed. Adjustable spit distance.

Heat Input:	13,5 kW	
Gas Consumption:	Propan G31:	1,04kg/h
	Natural gas G20:	1,42m3/h
	Natural gas G25:	1,64m3/h
Capacity:	50 kg	
Dimensions:	470X530X1300mm	

924 €



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

3PG-T

(12.124.015)

Gas grill with 3 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change).

Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Large oil collector. Easy for cleaning.

Heat Input: 8,1kW
 Gas Consumption:
 Propan G31: 0,62kg/h
 Natural gas G20: 0,86m3/h
 Natural gas G25: 0,98m3/h
 Capacity: 30 kg
 Dimensions: 470X530X890mm

1157 €



4PG-T

(12.124.014)

Gas grill with 4 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change).

Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Large oil collector. Easy for cleaning.

Heat Input: 10,8kW
 Gas Consumption:
 Propan G31: 0,83kg/h
 Natural gas G20: 1,14m3/h
 Natural gas G25: 1,33m3/h
 Capacity: 40 kg
 Dimensions: 470X530X1050mm

1302 €



5PG-T

(12.124.012)

Gas grill with 5 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter.

Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed.

Large oil collector. Easy for cleaning.

Heat Input: 13,5kW
 Gas Consumption:
 Propan G31: 1,04kg/h
 Natural gas G20: 1,42m3/h
 Natural gas G25: 1,64m3/h
 Capacity: 50 kg
 Dimensions: 470X530X1300mm

1449 €



.....CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

THE COMPLETE LINE PG-T

HAVE A REMOVABLE UPPER BODY AS THE MACHINE SITS ON SLIDERS!

YOU CAN MOVE IT TO FRONT AND BACK TO CHANGE THE DISTANCE FROM THE SPIT TO THE BURNER.

www.electrolux.com.mk

www.elektroluks.com.mk

+389 47 203 900

+389 2 329 8 130

made in macedonia

Electrolux CHICKEN GRILL MACHINE

KTE-15

(12.061.002)

Chicken grill machine electric with 3 rotation spits. Securit door glass. Each spit can be independently regulated. Inner lighting.

Following models are available
Both in gas and electric

KTE 15: 15 chicken:	1.426 €
KTE 20-20 chicken:	1.726 €
KTE 25-25 chicken:	2.028 €
KTE 30-30 chicken:	2.328 €
KTE 35-35 chicken:	2.629 €
KTE 40-40 chicken:	2.929 €
KTE 45-45 chicke:	3.231 €
KTE 50-50 chicken:	3.532 €
KTE 55-55 chicken:	3.831 €
KTE 60-60 chicken:	4.133 €
KTE 65-65 chicken:	4.434 €
KTE 70-70 chicken:	4.735 €

KTE-15



Capacity: 5 chicken / spit
Power consumption: 6750W
Light: 30W
Dimensions: 1100X420X1060mm

KTE-3

(12.061.001)

Table top chicken grill machine electric with 3 rotation spits. Front and back side of the appliance with securit glass. Each spit can be independently regulated. Inner lighting.

Capacity: 4 chicken / spit
Power consumption: 1x2250W+2x1450W
Dimensions: 900X750X600mm

KTE-3



1195 €

WARM CHAMBER CLOSED

Dimensions: 900X750X902mm



796 €

WARM CHAMBER GLASS

Dimensions: 900X750X902mm



869 €

Warm chamber for the chicken grill machine KTE closed with inox doors. Thermostat 30-90°C, ON/OFF switch. Stainless steel construction.

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES