



# ЕЛЕКТРОЛУКС Electrolux

*Factory - Intelligent Engineering, Shop, Sales and Service*

## 8000-02 SERIES FUNCTIONAL FEATURES



An extremely functional, multi-purpose chair with a high standard of comfort.

This chair has a single shell made of IF727 plastic. The backrest has a double curve to provide support for the lumbar region and ensure the person sits with their back in the right position. The seat also has a double curve. All this gives the shell unbeatable ergonomic properties.

The shell is secured to the different structures by four anchorage points for optimum rigidity.

Ovo je crtež e sopstvenost na Electrolux-Bitola. Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Electroluks vo spratno se snosat posedici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povreda na avtorsko pravo)

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



# ЕЛЕКТРОЛУКС Electrolux

*Factory - Intelligent Engineering, Shop, Sales and Service*

## Mod. 8129

A chair without arms on skate-type feet. The chair is extremely lightweight and has a structure that is specially suitable for standing on delicate surfaces, such as carpets or parquet flooring, since it spreads the load over a large area. The shell is attached to the shell by four anchorage points.

The chairs can be stacked on top of each other and joined together at the feet.

The shell can be upholstered in fabric or leather as an optional extra. The structure is painted.

## Mod. 8130

A chair without arms on a four-foot structure. The shell has the same characteristics as the 8129 model and is also attached to the shell by four anchorage points.

The structure consists of four oval-section steel tube legs connected by a bridge to the shell.

The upper part of the arms is covered in semi-rigid polyurethane foam that is particularly pleasant to the touch. It has grooves into which an optional removable, fold-away writing tablet can be inserted. This tablet can be fixed without the need for any screws.

These chairs are stackable and incorporate a linking system as standard.

The shell can be upholstered in fabric or leather as an optional extra. The structure is painted.

Ovo je crtež e sopstvenost na Electrolux-Bitola. Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Electroluks vo sprotivno se snosat posedici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povreda na avtorsko pravo)

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje


www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



# ЕЛЕКТРОЛУКС Electrolux

*Factory - Intelligent Engineering, Shop, Sales and Service*

## TECNICAL CHARACTERISTICS



Ovo je crtež e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Electroluks vo spratno se snosat posedici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povreda na avtorsko pravo)

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

[www.electrolux.com.mk](http://www.electrolux.com.mk) [www.elektroluks.com.mk](http://www.elektroluks.com.mk) e-mail: [elek-palenzo@mt.net.mk](mailto:elek-palenzo@mt.net.mk)




# ЕЛЕКТРОЛУКС Electrolux

*Factory - Intelligent Engineering, Shop, Sales and Service*

## STRUCTURE:

Steel plate and tube, welded with continuous arc.



## POLYPROPYLENE:

Material: IF-727 Copolymer Polypropylene

Resistance to breakage DIN 53455 : 28 N/ mm<sup>2</sup>

Resistance to impact DIN 53453: without breakage

Shell Tests: Rigidity, Torsion and Flexion DIN 68872

## PAINT:

Electrostatic powder epoxy

Coating thickness: 70-80 micra

Grid adherence: 100%

## UPHOLSTERY:

Pilling: Index 5 BS 5811

Test on fire resistance performance:

Specifications: UNE/23727

NF/92507

Ovo je svesnost na Electrolux-Bitola. Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva , umnozava niti kopira bez soglasnost od Electroluks vo sprativno se snosat posedici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povreda na avtorsko pravo)

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk