Hamilton Beach.

INTERNATIONAL FOODSERVICE EQUIPMENT CATALOG



always there, always durable.™

Hamilton Beach.

Beverage Prep

4-5	908° Blender
6-7	Rio* Blenders
8-9	Tango [*] Blender
10-11	Tempest* Blender
12-13	Summit [®] Blender
14-15	Revolution [®] Ice Shaver/Blender
16-17	Drink Mixers
18-19	Citrus Juicers

Food Prep

20-21	Immersion Mixer
22-23	Food Blenders
24-25	Dishers

Accessories

26-29 Accessories

908°

Rio®

frozen drinks

like margaritas daiquiris & pina coladas for use with crushed ice







Tango®

smoothies + frozen drinks

for use with crushed & half cube ice



HBB908 Series†

25 second daiquiri

400 Watts

3/8 Hp

1.25 L polycarbonate

rubber clutch

HBB250 Series*

20 second daiquiri

450 Watts

1/2 Hp with pulse

1.25 L polycarbonate

rubber clutch

Wave~Action® System

jar pad sensor

HBB250S Series

20 second daiquiri

450 Watts

1/2 Hp with pulse

.95 L stainless steel

rubber clutch

Wave~Action® System

jar pad sensor

HBH450 Series*

15 second daiquiri

600 Watts

1 Hp with pulse

1.4 L polycarbonate

metal clutch

Wave~Action® System

> timer/ auto shutoff

jar pad sensor

- † Available as CE or UK plug set
- * Available as CE, UK or CCC plug set



Tempest[®]

Summit[®]

Revolution®

smoothies + frozen drinks + coffee

for use with full cube ice







HBH650 Series*

12 second daiquiri

1,000 Watts

3 Hp with pulse

1.9 L polycarbonate

metal clutch

timer / auto shutoff

jump cycle

jar pad sensor

Wave~Action® System

HBH850 Series*

12 second daiquiri

1,000 Watts

3 Hp with pulse

1.9 L polycarbonate

auto blend

timer/ auto shutoff

cavitation control

cycle blending

jar pad sensor

converts to under-counter

metal clutch

Wave~Action® System

HBS1200 Series*

15 second daiquiri

1,000 Watts

3 Нр

1.9 L polycarbonate

metal clutch

Wave~Action® System

auto shutoff

memory card

hopper lid sensor

drain sensor

cycle blending



popularity

908° is the best-known blender name for making great margaritas, daiquiris, and more.

HBB908 Series

908® Blender

25 Second Daiquiri - When thirsty customers are waiting, you can blend 0.5 L drinks in 25 seconds flat.

Two Speeds - Offer versatility and precision blending for a wide variety of food and drink mixtures.

Durable Stainless Steel Blades - Four stainless steel blades are made to last and get the job done fast.

1.25 L Container - Break-resistant polycarbonate container with filler-cap and easy-to-read measurement marks makes filling and pouring easy.

Specifications:

Standard: Unit comes with base, 1.25 L polycarbonate container, Sure Grip™ feet, and blade assembly unit.

Controls: High/Low Motor: 3/8 Hp

Weight: 5.5 lbs/2.5 kg (shipping) Warranty: 1 year parts & labor

Case Pack Oty: 1

HBB908-CE HBB908-UK



220-240V~, 50-60 Hz, 400W



Unique Features



Removable filler-cap lets you add ingredients while blending



Stainless steel blades quickly cut through ice and other ingredients

ures Unique Feature



Sure Grip[™] feet hold blender securely in place

Performance -

Take an order for a daiquiri, margarita, or any popular 0.5 L icy drink and serve it up – perfectly smooth and with no ice chunks – in just 25 seconds.





flexibility

The perfect choice for cocktails, smoothies, margaritas, salsas, dips, sauces, and more.

HBB250 Series

Rio® Blender

Wave~Action® System - Ordinary blenders spin contents around the walls of the iar, which can leave whole chunks untouched by the blades. The Wave~Action® System has a unique container and blade design for smooth results every time.

20 Second Daiguiri - When thirsty customers are waiting, you can blend 0.5 L drinks in 20 seconds flat.

Two Speeds with Pulse Option -

Offers versatility and precision blending for a wide variety of food and drink mixtures.

Jar Pad Sensor - Helps prevent "wear and tear" from operator misuse. It turns the motor off when the container is not in place to reduce careless clutch grinding.

1.25 L Stackable Container - Breakresistant polycarbonate container with easy-to-read measurement marks is stackable for storage.

Specifications:

Standard: Unit comes with base, 1.25 L polycarbonate container, Sure Grip™ feet, and blade assembly unit.

Controls: High/Low with pulse option

Motor: 1/2 Hp

Weight: 8.5 lbs/4.25 kg (shipping) Warranty: 2 year parts & labor

Case Pack Qtv: 1

HBB250-CE HBB250-UK HBB250-CCC





220-240V~, 50-60 Hz, 450W



HBB250S Series

Rio® Blender

Wave~Action® System - Ordinary blenders spin contents around the walls of the iar, which can leave whole chunks untouched by the blades. The Wave~Action® System has a unique container and blade design for smooth results every time.

20 Second Daiguiri - When thirsty customers are waiting, you can blend 0.5 L drinks in 20 seconds flat.

Two Speeds with Pulse Option -

Offers versatility and precision blending for a wide variety of food and drink mixtures.

Jar Pad Sensor - Helps prevent "wear and tear" from operator misuse. It turns the motor off when the container is not in place to reduce careless clutch grinding.

.95 L Stainless Steel Container

Durable stainless steel offers longlasting performance.

Specifications:

Standard: Unit comes with base, .95 L stainless steel container, Sure Grip™ feet, and blade assembly unit.

Controls: High/Low with pulse option

Motor: 1/2 Hp

Weight: 8.5 lbs/4.25 kg (shipping) Warranty: 2 year parts & labor

Case Pack Qtv: 1

HBB250-CE HBB250-UK HBB250-CCC





220-240V~, 50-60 Hz, 450W



Unique Features



Wave~Action® system continually forces mixture down into the blades for smooth results





Four durable stainless steel cutting and mixing blades quickly cut through ice and other ingredients

Performance -

Take an order for a daiguiri, margarita, or any popular 0.5 L icy drink and serve it up - perfectly smooth and with no ice chunks - in just 20 seconds.



capability

Thanks to the Wave~Action® System, drinks come out perfectly smooth every time.

HBB450 Series

Tango® Blender

Wave~Action® System - Ordinary blenders spin contents around the walls of the jar, which can leave whole chunks untouched by the blades. The Wave~Action® System has a unique container and blade design for smooth results every time.

15 Second Daiguiri - When thirsty customers are waiting, you can blend 0.5 L drinks in 15 seconds flat.

Timer & Two Speeds with Pulse Option - The timer is indispensible for busy bars. Two speeds offer precision blending for a wide variety of mixtures.

Jar Pad Sensor - Helps prevent "wear and tear" from operator misuse. It turns the motor off when the container is not in place to reduce careless clutch grinding.

1.4 L Stackable Container - Breakresistant polycarbonate container with easy-to-read measurement marks is stackable for storage.

Specifications:

Standard: Unit comes with base, 1.4 L polycarbonate container, Sure Grip™ feet, and blade assembly unit.

Controls: 2 speed with timer Motor: 1 Hp Weight: 9.5 lbs/5.75 kg Weight: 9.5 lbs / 5.75 kg Warranty: 2 year or 15,000 cycles

Case Pack Oty: 1

HBB450-CE HBB450-UK HBB450-CCC





220-240V~, 50-60 Hz, 800W



Unique Features



Timer with automatic shutoff offers precision blending control for every kind of drink



Four durable stainless steel cutting and mixing blades quickly cut through ice and other ingredients



All-metal drive coupling offers long-lasting performance

Unique Features



Wave~Action® system continually pulls mixture down into the blades for smooth results





Stackable polycarbonate jar stores in less space

Performance -

Take an order for a daiguiri, margarita, or any popular 0.5 L icy drink and serve it up - perfectly smooth and with no ice chunks - in just 15 seconds.



vitality

Powerful blending performance for fast-paced, high-volume businesses.

Unique Features

Blinking red light indicates when container is not in place

Unique Features



Wave~Action® system continually

forces mixture down into the blades for smooth results



Temperature gauge alerts operator if motor overheats to help prevent unnecessary burnout NOTE: Operation manual shows operators step by step how to run the cool-down cycle

Tempest® Blender

HBH650 Series

Wave~Action® System - Ordinary blenders spin contents around the walls of the jar, which can leave whole chunks untouched by the blades. The Wave~Action® System has a unique container and blade system for smooth results every time.

12 Second Daiguiri - When thirsty customers are waiting, you can blend 0.5 L drinks in 12 seconds flat.

Super-Creamy Drink Profile - The Wave~Action® System, along with speed and blade design, break down ice from a granita texture to a creamy drink profile.

Two Speeds, Jump Cycle & Pulse Button - Offer precision blending for a wide variety of drink mixtures.

Timer with Automatic Shutoff -Indispensible for busy bars, it frees operators up for other tasks.

3 Hp Motor - Built with a durable allmetal drive coupling to satisfy the demands of the busiest bars.

1.9 L Stackable Container - Breakresistant polycarbonate container with easy-to-read measurement marks.

Specifications:

Standard: Unit comes with base, 64 oz. polycarbonate container, Sure Grip[™] feet, and blade assembly unit

Controls: 2 speeds, jump cycle & timer

Motor: 3 Hp

Weight: 11.1 lbs / 5.0 kg

Warranty: 2 years parts & labor or 20,000 cycles, whichever comes first

Case Pack Oty: 1

HBB650-CE HBB650-UK HBB650-CCC



220-240V~, 50-60 Hz, 1,000W



Two speeds, jump cycle, pulse button, and timer with automatic shutoff for maximum drink versatility



Performance -

Take an order for a daiquiri, margarita, or any popular 0.5 L icy drink and serve it up - perfectly smooth and with no ice chunks - in just 12 seconds.



Summit, Blender

sensory

Since you know exactly when drinks are ready, blending mistakes are a thing of the past.



Summit® Blender

Auto Blend "One Touch Sensor Blending" - Patent-pending technology continuously monitors blender's power usage and speed to determine when the perfect drink consistency is achieved.

Hundreds of Pre-Programmed Cycles - Reduces the need to select different cycles for different drinks to free up decision-making time.

Automatic Shutoff - As soon as the mixture reaches the perfect creamy drink profile/consistency, the blender stops to help prevent over- and under-blending.

Super-Creamy Drink Profile - The Wave~Action® System, along with speed and blade design, break down ice from a granita texture to a creamy drink profile.

Cavitation Control - Detects when cavitation occurs and prompts the operator to add more liquid. Keeps the operator from spending time watching the blender and from serving a bad drink.

Airflow Baffle - Constantly circulates cool air around the motor for back-toback blending and longer blender life.

Jar Pad Sensor - Turns off motor when container is not in place to reduce grinding and "wear and tear" from misuse

Specifications:

Standard: Unit comes with base, one container, sealing gasket, Quiet Shield™ sound enclosure & 3-wire grounded cord and plug

Controls: Touchpad

Container: 1.9 L stackable polycarbonate Motor: 3 Hp / Weight: 18.1 lbs / 8.2 kg

Warranty: 2 years or 20,000 cycles,

whichever comes first

Case Pack Oty: 1

HBH850-CE RoHS (((HBH850-UK HBH850-CCC 220-240V~, 50-60 Hz, 1,000W



Auto Blend stops blender when drinks reach the perfect consistency



Unique airflow baffle keeps motor cool and prevents water ingress

10.5" 26.7 cm

8.5" 21.6 cm





Converts for in-counter use





cool in-between blends



USB Port for future program updates



In-Counter Options -

This above-counter

Above-Counter/

in-counter model.

Quiet Shield™ **Sound Enclosure -**Reduces blender volume and maintains

low profile, even when open.





revolutionary

Get the right portion of ice every time with the Revolution* portion system.

HBS1200 Series

Revolution[®] Ice Shaver/Blender

Revolution® Portion System -

For maximum accuracy, this unique ice portioning system counts the number of times the agitator passes the shaver blade. Regardless of the motor load, the correct amount of ice comes out every time!

Systems that calculate portions by time or weight may not be delivering consistent drink quality to your customers. Time systems don't reliably shave the right amount of ice because the motor speed will vary with the load (the motor may spin more slowly when the ice hopper is full). Systems that rely on just the weight of ice can be inaccurate during blending because of container movement. The Revolution® Portion System eliminates these concerns by delivering the right amount of ice every time.

Double-Wall Hopper - Insulated for quiet operation and to keep ice cold.

Sensor Technology - Hopper sensor prevents operation when lid is not in place. Drain sensor indicates if water is backed up in the drain. This alerts the operator to check the drain line before a messy water backup.

3 Hp Blender Motor - Powerful, heavyduty, and built to satisfy the demands of the busiest bars.

Automatic Cycle Buttons -

Operators select serving size and number of servings for precise results.

Specifications:

Standard: Unit comes with base, ice chute, 2 piece hopper with lid, 1.9 L polycarbonate container & leveling feet Controls: Touchpad

Motors: 3 Hp blender, 1/4 Hp shaver

Weight: 55 lbs / 24.8 kg

Warranty: 2 years parts & labor or 20,000 cycles, whichever comes first Case Pack Oty: 1

HBH850-CE HBH850-UK HBH850-CCC



220-240V~, 50-60 Hz, 1,000W

Unique Features



Insulated double-wall hopper reduces noise and keeps ice cold (showing inner hopper only)



A press of the automatic cycle buttons sets the right serving size and number of servings



Unique Features



Comes with a stackable 1.9 L polycarbonate container with measurement marks



The Wave~Action® system continually forces mixture down into the blades for smooth results every time



Performance -

With the Revolution®
Ice Shaver/Blender,
you can prepare up
to four 0.5 L drinks
at the same time in
the 1.9 L container.
Serving four thirsty
customers at once
just got easier!



history

Mixing the world's most amazing milkshakes since 1911.



Single Spindle **Drink Mixer**

Versatile Drink and Food Prep -

Great for everything from mixing ice cream shakes to "flashing" bar drinks and blending eggs, pancake, and waffle batter.

Performance - More powerful 1/3 Hp, 300W rated motor mixes up to twice as fast, so customers don't have to wait.

Precision Motor - Each motor is individually balanced to minimize vibration. Built to last with sealed, permanently lubricated ball bearings.

Motor Activation -

Operators can automatically start and stop mixing action by inserting the cup into the cup guide.

Specifications:

Standard: Unit comes with base, motor, spindle, solid agitator & stainless

Controls: 3-speed rocker switch

Motor: 1/3 Hp

Weight: 14 lbs / 6.35 kg Warranty: 1 year parts & labor

HMD200-CE HMD200-UK HMD200-CCC







220-240V~, 50-60 Hz, 300W



HMD400 Series

Triple Spindle Drink Mixer

Optimum Output - The ideal choice for high-volume milkshake prep.

Performance - More powerful 1/3 Hp, 300W rated motor mixes up to twice as fast, so customers don't have to wait.

3 Separate Motors - Each motor works independently and has its own power switch.

Precision Motors - Each motor is individually balanced to minimize vibration. All three motors are built to last with sealed, permanently lubricated ball bearings.

Motor Activation -

Operators can automatically start and stop mixing action by inserting the cup into the cup guide.

Specifications:

Standard: Unit comes with base. 3 motors, 3 spindles, 3 solid agitators, and 3 stainless steel cups.

Controls: 3-speed rocker switch Motors: 1/3 Hp on each motor Weight: 37 lbs / 16.783 kg Warranty: 1 year parts & labor

HMD400-CE HMD400-UK HMD400-CCC







220-240V~, 50-60 Hz, 900W



Unique Features



Removable cup guide pulls out for easy dishwasher cleanup



Optional high-performance agitators shown on page 29



3 speed switch for mixing versatility

All-Metal, Heavy-**Duty Construction -**This classic design offers die cast durability in a smooth, rounded shape that's easy to clean.



agility

When fresh citrus is needed fast, these heavy-duty juicers deliver with minimum effort.

Unique Features

932

Manual Citrus Juicer

Dependability - Considered the standard worldwide because of its hard-working, dependable performance and classic looks.

Flexibility - Designed to extract pure citrus juice from lemons, limes, oranges, and grapefruit.

Maximum Juice Extraction - The extractor arm exerts up to 2,000 lbs. of force to ensure maximum juice output with minimum skin oil and pulp residue.

Strainer Cone and Funnel - Remove for easy cleaning.

Acid-Resistant Finish - The metal components, as well as the enamel finish, resist wear and tear from exposure to citrus acids.

Specifications:

Standard: Unit comes with base, strainer cone, funnel, swing-out juice collector cup, and Sure Grip™ feet

Weight: 11 lbs / 4.99 kg

Warranty: 1 year parts & labor

Case Pack Qty: 1



1G96700 Series

Electric Citrus Juicer

3 Reinforced Reamers - Small for lemons and limes, medium for oranges, and large for grapefruits. Each reamer has a stainless steel insert for durability.

Quiet Motor - With its exceptionally quiet motor, the 1G96700 is a welcome addition to any establishment.

Extra-Tall Spout - Juice spout is a full 8.5" from the counter to allow juicing into a variety of containers.

Low Center of Gravity - Makes the juicer less prone to tip over.

Durability - Heavy-duty metal housing, durable strainer, and reamers.

Specifications:

Standard: Unit comes with extra-large stainless steel bowl, acid-resistant cast aluminum base, ABS plastic strainer, and 3 reamer sizes

Controls: On/off push-button switch

Weight: 19 lbs / 8.62 kg

Warranty: 2 year parts & labor

Case Pack Oty: 1

1G96700-CE 1G96700-UK



220-240V~, 50-60 Hz, 125W



Model 932 is built with heavyduty gears for years of durability



932's juice collector cup swings out for easy access



Model 1G96700 has a sealed push-button switch



1G96700's strainer uses 3 stainless steel reinforced reamers: 1 for lemons & limes, 1 for oranges, and 1 for grapefruit

Flexibility -

Designed for the fast, easy extraction of fresh juice from oranges, lemons, limes & grapefruits.



cleanability

When the shift is over, you need a mixer that can be sterilized fast so it's ready for tomorrow.



HMI 200 Series

Immersion Mixer

Heavy Duty - Long-life motor construction and stainless steel chopping attachment designed for foodservice applications.

Flexibility - Detachable chopping attachment plus two speeds give professional kitchens the flexibility they need to purée soups and sauces right in the pan, whip egg whites, cream butters & mix batters with ease.

Stainless Steel 9"/ 23 cm Shaft -

Not only does the thick 9"/ 23 cm shaft reach into deep pots and bowls, it detaches for easy cleaning.

Innovative Blade Guard - Keeps prep areas neat and saves time by reducing messy splashing and clogging.

Double-Insulated - With two-conductor cord for easier use and storage.

Specifications:

Standard: Unit comes with motor unit, detachable 9"/ 23 cm chopping shaft, and cutting blades

Controls: 2-speed switch Weight: 3.8 lbs / 1.72 kg Warranty: 1 year parts & labor Case Pack Oty: 1

HMI200-CE HMI200-UK HMI200-CCC







220-240V~, 50-60 Hz, 175W



Unique Features



Blade guard reduces splashing and allows mix to pass through without clogging



Chopping attachment detaches easily for dishwasher cleanup and is autoclavable for quick sterilization



Four blades with five cutting edges quickly cut through ingredients for professional results every time

Unique Features



Built-in storage hook for easy hanging and storage on wire racks

The Perfect Choice For **Healthcare Applications**

Another "First" by HBC - The HMI 200 Immersion Mixer by **Hamilton Beach Commercial** is the first product of its kind that can be quickly sterilized in an autoclave.

Reliability -

When a bowl of fresh salad dressing needs to be prepped, it's best to have the right tool on hand. The HMI 200 **Immersion Mixer** by Hamilton Beach **Commercial** is built for the performance busy kitchens always rely on.



dependability

When chopping, grinding, and pureeing tasks are called for, these reliable blenders produce excellent results.

990-220

Replaces Model 16911

Food Blender

4.55 L Stainless Steel Container -

Durable container features dual metal clamps and handles for extra security during blending – clamps hold lid tightly shut; two handles make container easier to remove from base. A heavy-duty rubber gasket around the lid prevents leakage.

Two-Speed Power - Offers twospeed versatility with pulse option for precision blending, mixing, chopping, and pureeing of hot & cold foods such as dips, salsas, dressings, soups, sauces, desserts, and more.

Durable Stainless Steel Blades -

Four stainless steel cutting and mixing blades ensure quick, thorough blending results.

Specifications:

Standard: Unit comes with base, one stainless steel container, Sure Grip[™] feet, cutter assembly unit, and cutter assembly removal accessory

Controls: High/low with pulse option Container: 1 gallon stainless steel Weight: 23 lbs / 10.43 kg Warranty: 2 years parts & labor

Case Pack Qty: 1

990-220



220-240V~, 50-60 Hz, 675W



Food Blender

1.9 L Stainless Steel Container -

Extra-large capacity saves time when blending for large groups; comfortable, easy-to-grip handle makes pouring heavy contents easier.

2 Speeds with Pulse - Designed for precision blending, mixing, chopping, and pureeing a wide variety of food and drink mixtures.

Timer with Automatic Shutoff -

Helps prevent overblending and frees up operators for other tasks.

1 Hp Motor - Offers excellent power and torque and features an all-metal drive coupling for lasting performance.

Removable Dosing Cup - Lets the operator easily add liquid while blending.

Specifications:

Standard: Unit comes with base, 1.9 L stainless steel container, Sure Grip[™] feet, and blade assembly unit

Controls: 2 speed/pulse toggle switch, on/off toggle switch, auto shutoff timer

Weight: 9.46 lbs / 4.29 kg

Warranty: 2 years parts & labor or 15,000 cycles, whichever comes first

Case Pack Qty: 1

RoHS (((HBF400-UK HBF400-CCC

220-240V~, 50-60 Hz, 300W





990-220: Heavy-duty rubber gasket prevents spills



990-220: Two speeds with pulse for maximum blending control



HBF400: Stainless steel blades quickly cut through ingredients



HBF400: All-metal drive coupling offers long-lasting performance

Dependability - These high power/lower energy consumption units tackle the professional demands

of any busy kitchen.

Easy To Service -

Parts and accessories, like the easy-to-change neoprene clutch assembly, are available for your convenience - a service designed to increase motor life.



efficiency

When it's time to dish out great food, choose the brand that delivers better service.

8



Unique Features

Dishers

Heavy-Duty Stainless Steel - The bowl, thumb lever, and spring are made of stainless steel for long life and easy cleanup in the dishwasher.

Heavy-Duty Spring Action - The heavy-duty stainless steel spring allows for ease of operation and long-lasting durability.

Color-Coded Handles - Designed for instant identification and improved service, the color-coded handles let you streamline your foodservice operation. Bright, identifiable colors help maintain portion control, and make disher size selection quick and easy.

Specifications:

Warranty: 1 year parts & labor Case Pack Qty: 12



Deluxe Dishers

80 dishers have all the features of the 78 line plus these extras:

Pan Rest™ Feature - These convenient notches let dishers rest on the edge of pans to help prevent slippage that could slow down service.

Ergonomic Grip - Handles are shaped for a comfortable grip that helps reduce hand and arm fatigue.

Imprinted Capacity - With the capacity clearly molded onto each handle, there's never a question which size disher is being used.

Specifications:

Warranty: 2 year parts & labor Case Pack Oty: 12





Dishers are sold in colorful, easy-to-identify packaging



Pan Rest[™] feature on handle holds disher in place

Portion Control -9 disher sizes (6, 8, 10, 12, 16, 20, 24, 30, and 40) provide exact portion control.

Color-Coded Handles -

Designed for instant identification and improved service in busy foodservice operations.





6126-650

Tempest®/Summit® 1.9 L Polycarb. Container

With complete cutting asembly and cover. For models HBH650, HBH850, HBS1200-CE/UK/CCC and HBS1400.

Specifications:

Shelf Carton: 10 x 7 x 5 in. 2.3 lb. / 1.1 kg Case Pack: 1



6126-600

Tempest®/Summit® 1.4 L Polycarb. Container

With complete cutting assembly and cover. For models HBH650-CE/UK/CCC and HBH850-CE/UK/CCC.

Specifications:

Shelf Carton: 9 x 7 x 5 in. 1.9 lb. / .90 kg Case Pack: 4



6126-91503

Tempest®/Summit® .95 L Polycarb. Container

With complete cutting assembly and cover. Fits discontinued models 1691503, 1691555, and 1691605.

Specifications:

Shelf Carton: 11 x 7.75 x 7.75 in. 27.94 x 19.69 x 19.69 cm. 4.50 lbs / 2.041 kg Case Pack: 1



6126-450-CE

Tango®
1.4 L
Polycarb. Container

With complete cutting assembly and cover for model HBH450-CE/UK/CCC.

Specifications:

Shelf Carton: 11 x 11 x 10.97 in. 27.94 x 27.94 x 27.86 cm. 8.50 lbs / 3.856 kg Case Pack: 4



6126-250-CE

Rio[®] 1.25 L Polycarb. Container

With complete cutting assembly and cover. For model HBB250-CE/UK/CCC.

Specifications:

Shelf Carton: 13.5 x 11.25 x 10.75 in. 34.29 x 28.58 x 27.31 cm. 7.50 lbs / 3.402 kg Case Pack: 4



6126-250S-CE

Rio® .95 L Stainless Steel Container

With complete cutting assembly and cover. For model HBB250S-CE/UK/CCC.

Specifications:

Shelf Carton: 9.75 x 10.38 x 10.38 in. 24.77 x 26.37 x 26.37 cm. 10.50 lbs / 4.763 kg Case Pack: 4



6126-911

2.27 L Stainless Steel Container Kit

With complete cutting assembly and cover. For model 1G911.

Specifications:

Shelf Carton: 12.5 x 5.88 x 5.88 in. 31.75 x 14.94 x 14.94 cm. 4.13 lbs / 1.873 kg



6126-400

2.27 L Stainless Steel Container

For models HBF400-CE/UK/CCC.

Specifications:

Shelf Carton: 14 x 7 x 5 in. 3.1 lb. / 1.4 kg Case Pack: 1



6126-990

4.55 L Stainless Steel Container Kit

With complete cutting assembly and cover. For model 990-220.

Specifications:

Shelf Carton: 15 x 12.5 x 22.63 in. 38.10 x 31.75 x 57.48 cm. 6.55 lbs / 2.971 kg I 2 of 5: 00040094900503



6126-HBB908

908® 1.25 L Polycarbonate Container

With complete cutting assembly and cover for models HBB908-CE/UK/CCC.

Specifications:

Shelf Carton: 9.75 x 11.25 x 13.50 in. 24.77 x 28.58 x 34.29 cm. 7.22lbs / 3.275 kg Case Pack: 4



6126-HBB909

908[®] .95 L Stainless Steel Container

With complete cutting assembly, cover, clutch, and collar. For models HBB908-CE/UK/CCC.

Specifications:

Shelf Carton: 9.56 x 9.88 x 9.88 in. 24.28 x 25.10 x 25.10 cm. 8 lbs / 2.7 kg Case Pack: 4



110E

Universal Stainless Steel Container

32 oz. stainless steel container for all drink mixers by Hamilton Beach Commercial.

Specifications:

Shelf Carton: 7.25 x 10.75 x 12.06 in. 18.42 x 27.31 x 30.63 cm. 7.50 lbs. / 3.402 kg Case Pack: 12

I 2 of 5: 10040094041708



SB1200

Revolution® Ice Shaver Blade Kit

Shaver blade assembly for model HBS1200.

Specifications:

Shelf Carton: 6.70 x 4.25 x 2.45 in. 17.01 x 10.79 x 6.22 cm. 5.30 lbs / 2.40 kg Case Pack: 48 I 2 of 5: 00040094911103



990036300

Rio[®] Replacement Clutch

Bushing & bearing, gasket, nut, container base gasket, cutter assembly, and two (2) clutches. For models HBB250 and HBB250S.

Specifications:

Shelf Carton: 7.75 x 7.81 x 11.25 in. 19.69 x 19.84 x 28.58 cm. 0.37 oz. Case Pack: 12



98908

Multi-Blender Repair Kit

Complete cutting assembly, clutch, and gasket. For models 901, 908, 909, 910, 918, and 919.

Specifications:

Shelf Carton: 7.88 x 7.75 x 11.19 in. 20.02 x 20.01 x 28.42 cm. 3.841 lbs / 1.742 kg Case Pack: 12 I 2 of 5: 10040094991003



99035900

Container Base Ring

For model HBB908.

Specifications:

Shelf Carton: 7.75 x 7.81 x 11.25 in. 19.69 x 19.84 x 28.58 cm. 5 lbs / 2.585 kg Case pack: 12



99000

Blender Repair Kit

Bushing & bearing, gasket, nut, container base gasket, cutter assembly, and two (2) clutches. For model 1G911.

Specifications:

Shelf Carton: 7.75 x 7.81 x 11.25 in. 19.69 x 19.84 x 28.58 cm. 5.90 lbs / 2.585 kg Case pack: 12



981200

Revolution® Ice Shaver Cutter Assembly

Bushing & bearing, gasket, nut, container base gasket, cutter assembly, and (2) clutches. For models HBS1200-CE/UK/CCC.

Specifications:

Shelf Carton: 11.25 x 7.75 x 7.75 in. 28.57 x 19.68 x 19.68 cm. 7.50 lbs / 3.402 kg Case Pack: 6



98450

Tango® Blender Repair Kit

With complete cutting assembly, gasket, clutch, and retainer nut. For models HBB450-CE/UK/CCC.

Specifications:

Shelf Carton: 11.25 x 7.75 x 7.75 in. 28.57 x 19.68 x 19.68 cm. 5.90 lbs. / 3.402 kg Case Pack: 6



98250

Rio[®] Blender Repair Kit

With complete cutting assembly, clutch, gasket, and retainer nut. For models HBB250-CE/UK/CCC and HBB0250S-CE/UK/CCC.

Specifications:

Shelf Carton: 11.25 x 7.75 x 7.75 in. 28.57 x 19.68 x 19.68 cm. 5.23 lbs / 2.372 kg Case Pack: 6



98400

Food Blender Repair kit

Bushing & bearing, gasket, nut, container base gasket, cutter assembly, and two (2) clutches. For models HBF400-CE/UK/CCC.

Specifications:

Shelf Carton: 7 x 10.5 x 12 in. 7 lb. / 3 kg Case Pack: 6



98650

Tempest®/Summit® Repair Kit

With complete cutting assembly, clutch, gasket, and retainer nut. For models HBH650-CE/UK/CCC and HBH850-CE/UK/CCC.

Specifications:

Shelf Carton: 7.25 x 10.75 x 12.06 in. 18.42 x 27.31 x 30.63 cm. 7.50 lbs. / 3.402 kg Case Pack: 12



QS916

Quiet Shield® Sound Enclosure

Reduces sound during operation. Maintains low profile height even when open. Fits 91603, 91653, 1G91603-UK, 91605 & 91655.

Specifications:

Shelf Carton: 14.5 x 14.5 x 14.5 in. 36.83 x 36.83 x 36.83 cm. 6.42 lbs / 2.91 kg Case Pack: 1



QS850

Quiet Shield® Sound Enclosure

Reduces sound during operation. Maintains low profile height even when open. Fits HBH850-CE/UK/

Specifications:

Shelf Carton: 11.5 x 9 x 9 in. 3.9 lbs / 1.75 kg Case Pack: 1



929

HMIA200B

Stainless Steel Agitator

Mixes pre-ground candies, cookies, and fruit flavors into milkshakes. For models 94950, HMD200 & HMD400.

Specifications:

Shelf Carton: 6 x 4 x 1.5 in. 15.2 x 6.16 x 3.8 cm. 0.5 lb. / 0.23 kg Case Pack: 6



Immersion Mixer Chopping Attachment

For mixing, chopping & pureeing soups, sauces, batters & dressings in bowls or in the pan. Autoclavable for quick sterilization.

Specifications:

Shelf Carton: 12 x 12 x 3.5 in. 1 lb / .45 kg Case Pack: 1







always there, always durable.™

4421 Waterfront Drive • Glen Allen, Virginia 23060 • 1-800-572-3331 www.commercial.hamiltonbeach.com

© 2007 Hamilton Beach Brands, Inc. • Printed in the USA • BB 10/07 0804-1007-INT