

Dometic proSafe

The quality benchmark for hotel safe security

New generation safes

- New design
- State-of-the-art electronics
- Unique iAudit function
- Web-based security system
- New 17" laptop size model





Dometic proSafe 2008 Next-generation solutions for safety

Guests of all hotel categories expect discreet and secure storage of their valuables in their own rooms. The Dometic proSafe range offers perfect solutions for every demand.

Backed by more than 40 years of know-how and experience, Dometic is the leading system supplier for comfort hotel equipment. From silent hotel fridges to benchmarking safe security concepts, all Dometic products are designed for quality, ease of use and a long life time.

Extensive research and development now culminates in an all-new proSafe range – with outstanding features that let your guests enjoy more convenience, enhance the image of your hotel and protect your investment.



New design - to match any hotel interior

New colour, new front face design. Keypad and instruction label have the same size and shape creating a stylish symmetry. Smooth surfaces, pleasant to the touch and easy to clean.

Improved electronics – for enhanced security Enlarged memory capacity with state-of-the-art microchip technology. Storage of safe identification data such as serial number and manufacturing date. New SD card interface. Easy battery check via keypad.

iAudit – unique in industry

Stores up to 1,000 operations effected on the safe. The information is transferred to your office printer via the new SD card device and a secure web server – and can be quickly printed out as an audit protocol.


New webREOS software - top security level

Remote Emergency Opening System managed by a protected Dometic server. Two 5-digit codes generated by the safe after entry of the mastercode are decoded by the webpage for quick and secure opening by authorised staff.

New 17" laptop-size model

Designed to meet the increasing demand for 17-inch laptop safes: the new MD 381 model is an alternative to the well proven Dometic proSafe MD 491.

proSafe







Integrated socket: for in-safe charging of laptops, cameras and more

Door handle: an optional alternative to the standard spring opening [all models except 281 mech., MDD 401 L/LI and MDT 400 L]

A matter of style: Dometic safes are available in all RAL colours to match specific interiors

- Laptop size **MDT 400 L** 125 x 400 x 350 10 Model range - from Basic to Premium 4 different variants to select from: B [Basic]: iAudit and webREOS upgrade possible. Cabinet of 1.5 mm sheet metal. Value-for-money entry-level model. S [Standard]: iAudit and webREOS upgrade possible. iAudit and webREOS as standard. L[Luxe]: P [Premium]: iAudit and webREOS as standard. Colour: silver-white with blue LED display. **Options to suit specific requirements** ■ Integrated socket – e.g. for recharging laptop computers, cameras or mobile phones while stored in the safe [not for 281 mech., MDD 401 L/LI and MDT 400 L models] Door handle - for convenient access where standard spring opening is not desired [not for 281 mech., MDD 401 L/LI and MDT 400 L models]
 - iAudit trail retrofit option for all Basic and Standard models except 281 mech. Integrated as standard in all other models. See page 11 for details.
 - webREOS retrofit option for all Basic and Standard models except 281 mech. Integrated as standard in all other models. See page 11 for details.
 - Activating key for rented safes that need to be activated by the guest [all models except 281 mech.]
 - Left hand hinge to suit specific requirements or furniture designs
 - Special colours to match the interior design any RAL colour available
 - Mounting bracket for easy and secure fitting to a piece of furniture. See page 11 for details.
 - 220-volt operation without batteries [not for 281 mech., MDD 401 L/LI and MDT 400 L]



The small sensation - mechanical or electronical

Minimum space, maximum security: the MD 281 is a compact entry-level safe that comes in two versions -Standard and Luxe. Both incorporate the new proSafe electronics, the backbone of Dometic's innovative security features, iAudit and webREOS. The MD 281 L includes these features as standard, the MD 281 S offers the option of future upgrading. A smart concept that protects your investment. Ideal for private hotels.

Also available as a mechanical model only operated by key [proSafe 281 mech.].

Compact size

281 mechanical:

- Mechanical locking system
- Emergency access with optional master key

MD 281 S/L:

- **Closing system:** automatic motor locking
- Electronic lock
- Emergency access:
 - masterkey and mastercode or webREOS
- Illuminated LED display



Luxury version with iAudit and webREOS

Dometic

MD 281 S: Standard version, optional upgrading with iAudit and webREOS

281:

mechanical safe with 8.3 litre storage space for valuables behind a secure-locking door with two 18 mm steel pivots





proSafe 281 / MD 281 S / L

Capacity [litres]	8.3
Dimensions [HxWxDmm]	165 x 280 x 235
Steel thickness [door mm]	5
Steel thickness [body mm]	1.5

Options

Door handle Activating key [for MD 281 S/L] Left hand hinge . Special colours . Mounting bracket iAudit and webREOS [for MD 281 S]

proSafe MD 361 B/S/L/P Available in all styles - the versatile laptop size

Which one is it to be: the classical version in anthracite and red, or the Premium look in silver and blue LED? iAudit trail and webREOS ex-factory or at a later date? The proSafe MD 361 spoils you for choice. It is available in all four categories - Basic, Standard, Luxe and Premium, The lasercut doors and frames, a made-in-Germany motor for the safety locking system, and two 18 mm steel pivots add to optimum security for guests' valuables.

- Especially designed for the requirements of individual in-room security
- **Closing system:** automatic motor locking
- Electronic lock
- Emergency access: masterkey and mastercode or webREOS
- Illuminated LED display



A stronger cabinet plus some extras: the MD 361 L luxury version with iAudit and webREOS





Capacity [litres]	24.5
Dimensions [HxWxDmm]	190 x 360 x 410
Steel thickness [door mm]	5
Steel thickness [body mm]	2 [MD 361 S/L/P]
	1.5 [MD 361 B]

Options

Integrated socket
Door handle
Activating key Left hand hinge . Special colours Mounting bracket • 220-volt operation without batteries iAudit and webREOS [for MD 361 B/S]

proSafe MD 381 S/L

One size up: the new 17" laptop format

It's new – and it's just the right solution for 4 or 5-star hotels focusing on business clients. A larger version of the MD 361, the proSafe MD 381 S/L easily accommodates 17" laptops. Or, of course, other valuables hotel guests may wish to store safely in the privacy of their own room. Designed for highest in-room security standards, the safe features a laser-cut door and frame, an automatic motor locking system and two 18 mm steel pivots.

- Especially designed for secure storage of 17" laptops
- **Closing system:** automatic motor locking
- Electronic lock
- Emergency access: masterkey and mastercode or webREOS
- Illuminated LED display





proSafe MD 381 S/L

Capacity [litres]	28
Dimensions [HxWxD mm]	190 x 380 x 450
Steel thickness [door mm]	5
Steel thickness [body mm]	2

Options

Integrated socket
Door handle
Activating key Left hand hinge . Special colours Mounting bracket • 220-volt operation without batteries iAudit and webREOS [for MD 381 S]

MD 381 S: the standard version, optional upgrading with iAudit and webREOS

proSafe MD 406 L Safe meets miniBar – safety meets style

Every hotel has a certain guest structure and a certain type of interior. Safe and miniBar combinations are ideal for premium hotels focusing on business guests. The proSafe MD 406 L perfectly matches the HiPro 4000 miniBar and allows for elegant all-in-one solutions to match the interior style. Equipped with high-grade security features, it accommodates standard notebooks or other valuables guests wish to keep in secure and private storage. Needless to say, it can also be fitted as stand-alone model.

- Matches perfectly HiPro 4000 miniBars [same width; safe depth designed for optimal ventilation of the miniBar]
- Guarantees maximum safety, convenience and elegant design
- **Closing system:** automatic motor locking
- Electronic lock
- Emergency access: masterkey and mastercode or webREOS
- Illuminated LED display





The safe combination:

the proSafe MD 406 L

perfectly matches the HiPro 4000 miniBar

proSafe MD 406 L

Capacity [litres]	22.4
Dimensions [HxWxDmm]	190 x 405 x 350
Steel thickness [door mm]	5
Steel thickness [body mm]	2

Options

Integrated socket
Door handle
Activating key
Left hand hinge
Special colours
Mounting bracket
220-volt operation without batteries

proSafe MD 491 L

The combo solution for highest demands

At a capacity of 29 litres, the proSafe MD 491 L is the largest model of the Dometic range. Designed to be combined and fitted on top of HiPro 6000 or HiPromatic 6000 miniBars, it lends itself to stylish solutions in luxurious hotels, particularly of the 4- and 5-star business category. Its elegant styling makes it an attractive asset in any modern guest room. The spacious interior and high-grade security features permit safe and comfortable storage of a 17" laptop plus other valuables which guests wish to keep in the privacy of their own room.

- Matches perfectly HiPro 6000 miniBars [same width; safe depth designed for optimal ventilation of the miniBar]
- Guarantees maximum safety. convenience and elegant design
- **Closing system:** automatic motor locking
- Electronic lock
- Emergency access: masterkey and mastercode or webREOS
- Illuminated LED display

17" laptop size with outstanding 29 I capacity



Luxury that has it all: stylish combo model, generous 29 I capacity, fits 17" laptops



proSafe MD 491 L

Capacity [litres]	29
Dimensions [HxWxD mm]	190 x 490 x 370
Steel thickness [door mm]	5
Steel thickness [body mm]	2

Options

Integrated socket
Door handle
Activating key Left hand hinge . Special colours Mounting bracket • 220-volt operation without batteries

Maximum comfort and security combined: the solution for discerning guests

proSafe MDD 401 L / LI The unique slide-out drawer safe

Premium hotels in search of innovative concepts to stand out from the competition opt for the proSafe MDD 401. Designed for special needs, it combines maximum security and convenience. Its unique slide-out drawer system optionally available with high-gloss stainless steel front provides easy access space for laptop computers, mobile phones, travel documents, and other valuables. The special design allows for easy integration into existing furniture.

- **Specifically designed** to provide premium comfort for highest demands
- **Convenient to use** with slide-out drawer for secure storage of personal belongings
- **Closing system:** automatic motor locking
- Electronic lock
- Emergency access: masterkey and mastercode or webREOS
- Illuminated LED display



finishing touch

MDD 401 L:

class guest

convenience -

only available

from Dometic

Designed for first



proSafe MDD 401 L/LI

Capacity [litres]	15
Dimensions [HxWxDmm]	200 x 400 x 440
Steel thickness [door mm]	5
Steel thickness [body mm]	2

Options

Stainless steel front panel [for MDD 401 L] Activating key Special colours Mounting bracket

proSafe MDT 400 L Disguised beauty: the built-in drawer safe

The same idea, another way: this pull-out safe is completely integrated in an existing drawer. No handle, no contrasting colour, no keypad to disturb the harmony of the furniture front - ideal for refined interior architecture. The special door design allows ergonomic access from above: just enter the code and the hydraulic arm lets the lid gently swings open. Light falls in from above. All of the safe's "inner riches" are clearly visible and in convenient reach.

- Can be installed into an existing drawer, desk or bedside cabinet
- **Hvdraulic arm** ensures automatic opening and safe closing
- **Closing system:** automatic motor locking
- Electronic lock
- Emergency access: masterkey and mastercode or webREOS
- Illuminated LED display



from above



proSafe MDT 400 L

Capacity [litres]	11
Dimensions [HxWxD mm]	125 x 400 x 350
Steel thickness [door mm]	5
Steel thickness [body mm]	2

Options

Special colours Mounting bracket

Noble understatement: this elegant safe is completely integrated in an existing drawer

Dometic proSafe

High security features and proSafe specials

ver

3-level emergency opening concept

Dometic offers emergency opening options at three security levels. **Option 1:** Authorised staff open the safe with a masterkey. **Option 2:** Authorised staff enter a mastercode to open the safe. After 10 seconds the safe will open automatically. **Option 3:** The new webREOS system, designed for ultimate security and user comfort.

generates two 5-digit codes to be entered on a password-protected web-

page. The screen finally shows a code which can be used to open the

safe. Each webREOS opening is recorded and stored on a protected ser-

webREOS

iAudit

takes hotel safe security to a new level

webREOS, the new Dometic Remote Emergency Opening System, is based on an innovative encryption system. This unique solution combines the advanced electronic system integrated in all proSafe MD models with the latest on-line technology. In case of emergency, an authorised staff member enters the mastercode on the safe's keypad. As a result the safe

- the digital memory for audit trails

All operations effected on a safe must be documented - for your own

security and for your insurance provider. This is where Dometic's new

iAudit system offers a truly convenient solution. All proSafe MD models feature a new microchip with storage capacity for up to 1000 events. That

means: Any operation (locking, unlocking, emergency opening requests

etc.) can be tracked and audited anytime - even over a number of years.

The information is transferred from the safe to a protected server via the

new Dometic SD card device, which works with common SD cards,

All proSafe MD models have a matching interface for connection to the SD card reader. The audit protocol can be printed out any time, simply by

Each Dometic safe comes as an install-and-go package complete with

batteries. To ensure reliable safe operation the batteries must be checked on a regular basis and replaced in good time. And that's an easy task now with the new proSafe range: Just enter the four-digit code on the operating panel, and the current battery status appears on the display. At a bat-

tery level of 4.4 volts (or below) the display shows the "bAt-Lo" warning.

At this charging status the safe can only be opened but not be closed - an

Mounting bracket – for wall or desktop fitting Dometic safes have factory-drilled holes at the rear and base. They can be screw-fastened from inside the cabinet to a wall or horizontal surface. In

either case, the optional mounting bracket provides a firm hold and

using your PC's printer. Thus avoiding special audit trail printers.

Battery check at the touch of a button

additional security feature.

flawless finish.




Three easy steps to secure emergency opening: mastercode – two 5-digit codes – opening code



B Domenie





Recommendable for security and insurance reasons: iAudit for up to 1000 events

Economical and handy: the new Dometic SD card device for audit data transfer from safe to server

Battery check – an important service task and done in a trice with the new proSafe generation

Mounting bracket: for easy wall or desktop mounting, a secure hold and a flawless finish

Dometic proSafe

Worldwide support - with experts near you

Regional Office South Africa Dometic (PTY) Ltd. Phone +27 13 933 3254 +27 13 933 3224 trevor.hunter@eleisure.co.za

Australia

Dometic Pty Ltd. Phone +61 395 455 655 +61 395 455 966 Fax dometic@dometic.com.au

Denmark

Dometic Denmark A/S Branch Office Denmark Phone +45 75 58 79 66 +45 75 58 63 07 Fax hendrik.carstensen@dometic.dk ajay@eagle-grp.com

Finland

Dometic Finland Ov Phone +358 20 741 3220 Fax +358 9 759 3700 info@dometic.fi

Greece

Samaras Bros. Phone +30 2310 321 091 Fax +30 2310 321 090 polief96@otenet.gr

Hong Kong / Macau / China Dometic Hong Kong Phone +852 2489 9228 Fax +852 2489 9279 louis@dometic.com.hk

Regional Office

Asia Dometic Pte. Ltd Phone +65 6 795 3177 Fax +65 6 862 6620 chandra8@dometic.com.sg

Hungary Dometic Rt. Phone +36 57 41 6371 +36 57 41 6490 Fax erzsebet.nemes@dometic.hu

India Eagle Forgings Phone +91 11 41679 640 / 621 +91 11 41679 622 / 623

Fax +91 11 41679 624 Indonesia PT FMS Indoappliances

Phone +62 21 830 5746 Fax +62 21 831 7215 corporate@emsindo.com

Italy Dometic S.p.A Phone +39 0 11 640 8281 +39 0 11 645 047 Fax minibar@dometic.it

Japar

Dometic K.K. Phone +81 3 544 53333 +81 3 544 53339 Fax yasuto.takeuchi@dometic.jp

Regional Office Middle East & North Africa

Dometic AB Phone +971 4 321 2160 Fax +971 4 321 2170 dometic@eim.ae

Korea Hotel Restaurant Services

Phone +82 2 3453 5000 +82 2 3453 5001 Fax hschung@hrs.co.kr Malavsia EMS Asia Group Sdn. Bhd.

Phone +603 55 69 3968 Fax +603 55 69 3969 siva@ems-asiagroup.com

Netherlands Dometic Benelux B.V.

Phone +31 172 468 469 +31 172 468 373 peter.van-ruiten@dometic.nl New Zealand

Leisure Appliances New Zealand Ltd. Phone +64 4 232 3898 Fax +64 4 232 3878 customerservices@nzleisure.co.nz

Norway Dometic Norway Phone +47 33 42 8450 Fax +47 33 42 8459 firmapost@waeco.no

Export Office Sweden

Dometic AB Phone +46 8 501 025 00 Fax +46 8 501 025 98 sales@dometic.se

Poland Dometic GmbH Branch Office Poland Phone +48 22 434 7388 Fax +48 22 434 7388 renata.fedorowicz@dometic.pl

Russia Miko Hotel Services Phone +7 495 543 93 99 Fax +7 495 543 93 99 info@miko-hotelservices.com

Saudi Arabia H S Chbib Trading Company Phone +966 2 6682674 Fax +966 2 6682675 fouad@chbib.com

Singapore Dometic Pte. Ltd. Phone +65 6 795 3177 +65 6 862 6620 Fax dometic@dometic.com.sg

Slovenia Team Commerce D.O.O. Phone +386 5 6300 760 Fax +386 5 6284 367 info@team-commerce.s

Spain / Portugal Dometic Iberian S.L Phone +34 91 616 6320 Fax +34 91 616 6021 info@dometic.es

Sweden

Dometic AB Phone +46 31 734 11 00 Fax +46 31 734 11 11 sales@dometic.se

Taiwan The Eslite Corporation

Phone +886 2 2503 7687 +886 2 2506 9372 Fax iacktsai@eslite.com.tw

Thailand

Thanakorn Holdings Co. Ltd. Phone +66 2 718 0118 Fax +66 2 718 0088 thanakorn thai@usa.net

Enta A.S. Phone +90 212 292 8900 Fax +90 212 245 4731 cinar@entaturk.com

LIK / Ireland Dometic Ltd.

Phone +44 1 582 494 111 +44 1 582 490 197 Fax info@dometic.co.uk

USA

Dometic Corporation Phone +1 574 294 8665 Fax +1 574 294 3369 lodging@dometicusa.com

Vietnam

Do Business Consulting Co. Phone +84 8 8242426 +84 8 8242428 Fax dbconslt@hcm vnn vn

Turkey

Dometic GROUP





MiniBars

Automatic miniBars

Dometic GROUP is a customer-orientated, worldwide leading manufacturer of innovative comfort products for the RV, truck, car and boat markets. The corporate group serves industry clients as well as the aftermarket with a complete range encompassing air conditioners, cooling appliances, awnings, lighting systems, cookers, hygiene equipment, mobile power supply products, comfort and safety solutions, doors, windows and many other products - all designed to bring comfort and convenience to people on the move.





Service wine cellar

Extended stay hotel equipment

On top of that Dometic GROUP offers workshop equipment for maintenance and repair of vehicle air conditioners.

Dometic GROUP also produces speciality refrigerators for hotels, offices and medical applications as well as customised wine refrigerators.

Dometic GROUP products are sold in almost 100 countries around the globe, most of them are made in proprietary production plants. The group generates annual sales of more than EUR 1000 million with a workforce of more than 6000 people worldwide.