

# Electrolux



RESTAURANT SUPPLIES INTERNATIONAL

[www.electrolux.com.mk](http://www.electrolux.com.mk)

[www.elektroluks.com.mk](http://www.elektroluks.com.mk)

+389 47 203 900

+389 2 329 8 130

made in macedonia

REFRIGERATORS



# REFRIGERATED COOLING TABLES GASTRONORM MODULAR

## Modular Cooling Table

(18.092.008)

Stainless steel construction inside/outside. Gastronorm refrigerated cooling table with 2 doors. Modular construction designed with the idea to offer the customer practical use and fast serving.

Motor: 350W / 1Hp  
Dimensions: 950x625x875mm  
Capacity: 270 Lt.  
Grid dimension: 325x530mm (GN1/1)  
Air circulation: 0°C - +6°C

1106 €



## Refrigerated working table with 3 doors

(18.092.017)

Stainless steel construction inside/outside. Gastronorm refrigerated cooling table with 3 doors. Modular construction designed with the idea to offer the customer practical use and fast serving.

Motor: 450W / 1/4Hp  
Dimensions: 1440x625x875mm  
Capacity: 410Lt.  
Grid dimension: 325x530mm (GN1/1)  
Air circulation: 0°C - +6°C

1392 €



## Refrigerated working unit with 4 doors

(18.092.018)

Stainless steel construction inside/outside. Gastronorm refrigerated cooling table with 4 doors. Modular construction designed with the idea to offer the customer practical use and fast serving.

Motor: 570W / 3/8Hp  
Dimensions: 1860x625x875mm  
Capacity: 520Lt.  
Grid dimension: 325x530mm (GN1/1)  
Air circulation: 0°C - +6°C

1550 €



## Modular Cooling table with 4 drawers

(18.092.009)

Refrigerated working unit. Modular construction designed with the idea to offer the customer practical use and fast serving.

Motor: 350W / 1/5 Hp  
Dimensions: 950x625x875mm  
Capacity: 270 Lt  
Grid dimension: 4 Drawers (GN1/1)  
Air circulation: 0°C - +6°C

1402 €



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES . . . . .

# REFRIGERATION MODULAR CONSTRUCTION

## Modular Salad bar

(18.092.006)

Saladbar modular construction designed

with the idea to offer the customer practical use and fast serving. Two part lid, cutting board made of teflon.



929 €

Dimensions: 950x625x875mm  
Capacity: 270 Lt.  
Grid dimensions: 325x530mm (GN1/1)  
Air circulation: 0° - +6°C  
Motor: 400W

## Modular Pizza Working table

(18.092.013)

Refrigerated pizza working table.

Practical storage, assembly of ingredients and pizza preparation.



1048 €

Dimensions: 950x625x1240mm  
Capacity: 270 Lt. net  
Motor: 400W  
Air circulation: 0° - +6°C

## Modular Beer Serve unit

(18.092.014)

Refrigerated serve unit for installation of beer cans. Modular construction designed with the idea to offer the customer practical and fast serving in the shop.



1512 €

Motor: 400W  
Dimensions: 950x625x1240mm  
Capacity: 270 Lt. net  
Air circulation: 0°C - +6°C

## Modular Display Salad bar

(18.092.007)

Refrigerated display unit salad bar.

Modular construction designed with the idea to offer the customer practical use and fast serving.



1500 €

Motor: 400W  
Dimensions: 950x625x1220mm  
Capacity: 270 Lt.  
Air circulation: 0°C - +6°C

[www.electrolux.com.mk](http://www.electrolux.com.mk)

[www.elektroluks.com.mk](http://www.elektroluks.com.mk)

+389 47 203 900

+389 2 329 8 130

made in macedonia

# REFRIGERATED MODULAR CONSTRUCTION

**Glass cooler**  
(18.092.011)



**1394 €**

Dimensions: 900x600x850mm

**Boottle cooler**  
(18.092.012)



**1394 €**

Dimensions: 900x600x850mm

## Refrigerated chamber high 1450mm

(18.092.019)

Upright refrigerated chamber with 2 doors.

Stainless steel construction inside outside for 1/1 GN size.



**1211 €**

Dimensions: 950x625x1450mm  
Air circulation: 0°C - +6°C

## Refrigerated chamber high 2050mm

(18.092.020)

Upright refrigerated chamber with 2 doors.

Stainless steel construction inside outside for 1/1 GN size.



**1475 €**

Dimensions: 950x625x2050mm  
Air circulation: 0°C - +6°C

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES . . . . .

# VARIOUS MODULAR CONSTRUCTION

## Modular warm unit

(18.092.021)

Working unit with GN sizes. Modular construction designed with the idea to offer the customer practical use and fast serving. Thermostat 30-90°C.

Dimensions: 950x625x875mm  
Capacity: 270 Lt.  
Grid dimension: 325x530mm (GN1/1)  
Power: 1500W

1103 €



## Modular Working unit

(18.092.015)

Working unit with Gn sizes. Modular construction designed with the idea to offer the customer practical use and fast serving.

Dimensions: 950x625x875mm  
Capacity: 270 Lt.  
Grid dimensions: 325x530mm (GN1/1)

509 €



## Modular Display Bain Marie

(18.092.016)

Bain Marie with cant glass. Modular construction designed with the idea to offer the customer practical use and fast serving.. Thermostat 30-90°C.

Dimensions: 950x625x1220mm  
Capacity: 270 Lt.  
Power: 1500W

1358 €



## Modular Ice Cream freezer

(18.092.022)

Ice cream freezer. Modular construction with same dimensions as all the other Modular models..

Dimensions: 950x625x1220mm  
Capacity: 270 Lt.  
Grid dimension: 325x530mm (GN1/1)  
Air circulation: -15°C to -25°C

1807 €



# REFRIGERATED EURONORM COUNTERS 700

## XPS-1P (18.093.008)

Refrigerated counter with 1 door and 1 drawer refrigerated. Fitted for 60\*40 trays or with optional GN 1/1 supports. Complete stainless steel inside/outside. Digital controls. ]

HACCP regulation

Build in evaporator at the backside.

XPS-1P(18.093.008)

Temperature: -2°C / +8°C

Dimensions: 1085x700x850mm

Capacity: 260 litter

**1106 €**



REFRIGERATED DRAWER

## XPS-2P (18.093.009)

Refrigerated counter with 2 doors and 1 drawer refrigerated. Fitted for 60\*40 trays or with optional GN 1/1 supports. Complete stainless steel inside/outside. Digital controls.

HACCP regulation

Build in evaporator at the backside.

**1495 €**



REFRIGERATED DRAWER

XPS-2P(18.093.009) Temperature: -2°C / +8°C Dimensions: 1650x700x850mm Capacity: 470 litter

## XPS-3P (18.093.010)

Refrigerated counter with 3 doors and 1 drawer refrigerated. Fitted for 60\*40 trays or with optional GN 1/1 supports. Complete stainless steel inside/outside. Digital controls.

HACCP regulation

Build in evaporator at the backside.

**1901 €**



REFRIGERATED DRAWER

XPS-3P(18.093.009) Temperature: -2°C / +8°C Dimensions: 2215x700x850mm Capacity: 680 litter

## XPS-4P (18.093.011)

Refrigerated counter GN 1/1/60/40 forced refrigeration with 4 doors, refrigerated drawer over the refrigerated mechanism and one grid each door.

Complete stainless steel inside/outside. Digital controls.

HACCP regulation

Build in evaporator at the backside.

**2174 €**



REFRIGERATED DRAWER

XPS-4P(18.093.011) Temperature: -2°C / +8°C Dimensions: 2773x700x850mm Capacity: 890 litter

[www.electrolux.com.mk](http://www.electrolux.com.mk)

[www.elektroluks.com.mk](http://www.elektroluks.com.mk)

+389 47 203 900

+389 2 329 8 130

made in macedonia

**DIAM-2P 600** (18.092.032)

Refrigerated counter with 2 doors. Complete stainless steel inside/outside. Digital controls.

Temperature: -2°C / +8°C  
Dimensions: 1414x600x850mm  
Motor: 350 W - 1/5Hp

**NEW**



Diam-2p:

**1152€**

**DIAM-3P 600** (18.092.033)

Refrigerated counter with 3 doors. Complete stainless steel inside/outside. Digital controls.

Temperature: -2°C / +8°C  
Dimensions: 1898x600x850mm  
Motor: 455 W - 1/4Hp

**NEW**



Diam-3p:

**1384 €**

**DIAM-4P 600** (18.092.034)

Refrigerated counter with 4 doors. Complete stainless steel inside/outside. Digital controls.

Temperature: -2°C / +8°C  
Dimensions: 2380x600x850mm  
Motor: 600W - 3/8Hp

**NEW**



Diam-4p:

**1642€**

••••• CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

# REFRIGERATED GASTRONORM COUNTERS 700

## DIAM-2P (18.093.020)

Refrigerated counter with 2 doors. GN 1/1 size fitted. Complete stainless steel inside/outside. Digital controls.

Temperature: -2°C / +8°C  
 Dimensions: 1414x700x850mm  
 Motor: 350 W - 1/5Hp



**DIAM-2P 1C (18.093.017)**  
 Same but with refrigerated Drawer over the compressor.

Diam-2p: **1323€**



Diam-2P1C: **1431€**

WHEELS ARE OPTIONAL

## DIAM-3P (18.093.021)

Refrigerated counter with 3 doors. Fitted for GN 1/1 shelves or trays. Complete stainless steel inside/outside. Digital controls.

Temperature: -2°C / +8°C  
 Dimensions: 1898x700x850mm  
 Capacity: 485 liter.  
 Motor: 455 W - 1/4Hp



**DIAM-3P 1C (18.093.018)**  
 Same but with refrigerated Drawer over the compressor.

Diam-3p: **1475€**



Diam-3P1C: **1583 €**

## DIAM-4P (18.093.022)

Refrigerated counter with 4 doors fitted for 1/1gn shelves or trays. Complete stainless steel inside/outside. Digital controls.

Temperature: -2°C / +8°C  
 Dimensions: 2380x700x850mm  
 Capacity: 660 liter.  
 Motor: 600W - 3/8Hp



**DIAM-4P 1C (18.093.019)**  
 Same but with refrigerated Drawer over the compressor.

Diam-4p: **1739€**



Diam-4P1C: **1847€**

.....CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES



# REFRIGERATION LINE 700 PIZZA PREPARATION TABLES

## XP-2P (18.093.004)

Refrigerated pizza table with forced refrigeration 2 doors and 1 refrigerated drawer over the refrigerated mechanism. Complete stainless steel inside/outside. Digital controls. HACCP regulation. The pizza table comes with a refrigerated vetrine and a granite top.



Temperature: -2°C / +10°C  
Dimensions: 1650x850x1360mm.

Xp2p: **2.374 €**  
without vetrine



Xp2p: **3.125 €**

With vetrine CTW 1650 or optional V-160

Option 2 drawers instead of 1 door: +167€

## XP-3P (18.093.005)

Refrigerated pizza table with forced refrigeration 3 doors and 1 refrigerated drawer over the refrigerated mechanism. Complete stainless steel inside/outside. Digital controls. HACCP regulation. The pizza table comes with a refrigerated vetrine and a granite top.

Temperature: -2°C / +10°C  
Dimensions: 2215x850x1360mm



Xp3p: **2.573 €**  
without vetrine

Xp3p: **3.459 €**

With vetrine CTW 2215 or optional V-220

Option 2 drawers instead of 1 door: +167 euro

## XP-4P (18.093.006)

Refrigerated pizza table with forced refrigeration 4 doors and 1 refrigerated drawer over the compressor. Complete stainless steel inside/outside. Digital controls. HACCP regulation. The pizza table comes with a refrigerated vetrine and a granite top.

Temperature: -2°C / +10°C  
Dimensions: 2780x850x1360mm.



Xp4p: **3041 €**  
without vetrine

Xp4p: **4.060 €**

With vetrine CTW 2780 or optional V-270

Option 2 drawers instead of 1 door: +167 euro

## XP-2Pcss and XP-3Pcss

Refrigerated pizza table with forced refrigeration 2 doors (2p) or 3 doors (3p) with 1 refrigerated drawer over the compressor and each 1 set of drawers 3 small one large neutral foret pizza balls. Inside/outside stainless steel. Digital controls. Refrigerated top. Optional Ccss, stainless steel pizza ball drawer set

Temperature: -2°C / +10°C  
Dimensions Xp-3p ccss: 2215x850x1360mm  
Dimensions Xp-2p ccss: 1650x850x1360mm  
Dimensions CSS: 510x655x850mm

XP-2p ccss **3.750 €**



css **372 €**

XP-3p ccss **4.152 €**



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

# REFRIGERATED COUNTER TOP UNITS

## CTW



1/2	1/2	1/4	1/4	1/6	CTW-1650 Basin deep 100mm
				1/9	

1/2	1/2	1/4	1/4	1/4	1/4	1/6	1/6	CTW-2215 Basin deep 100mm
						1/9	1/9	

1/2	1/2	1/2	1/4	1/4	1/4	1/4	1/4	1/6	1/6	CTW-2780 Basin deep 100mm
								1/9	1/9	

## V120 Basin deep 150mm

V-120	1/3	1/3	1/3	1/3	1/3
-------	-----	-----	-----	-----	-----

V-160		1/1	1/3	1/3	1/2
-------	--	-----	-----	-----	-----

V-220	1/1	1/1	1/1	1/3
-------	-----	-----	-----	-----


V-278	1/1	1/1	1/1	1/1	1/3
-------	-----	-----	-----	-----	-----



## V160 Basin deep 150mm



## V220 Basin deep 150mm



Refrigerated stainless steel display unit  
+2/+10°C, with digital controls. Securit straight glas.

CTW-1650	External dimensions:	1650x320x430mm
CTW-2215	External dimensions:	2215x320x430mm
CTW-2780	External dimensions:	2780x320x430mm
V-120	External dimensions:	1200x380x574mm
V-160	External dimensions:	1650x380x470mm
V 220	External dimensions:	2215x380x470mm
V278	External dimensions:	2780x380x470mm

- 751 €
- 886 €
- 1019 €
- 518 €
- 827 €
- 975 €
- 1.120€

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

# REFRIGERATION LINE 700 SALAD BARS

## REFRIGERATED SALADBAR WITH LID - 1 DOOR

### XA-1P (18.093.023)

Refrigerated saladbar with forced refrigeration 1 door and 1 refrigerated part over the refrigerated mechanism. Complete stainless steel inside/outside. Stainless steel couching lid. Digital controls.

Maintenance model: XA-1P (18.093.023)  
Temperature: -2°C / +8°C  
Dimensions: 1080x850x1030mm.  
Motor: 300W  
Capacity: 4 x 1/3 GN + 3x 1/2 GN

1447 €



## REFRIGERATED SALADBAR WITH LID - 2 DOORS

### XA-2P (18.093.015)

Refrigerated saladbar with forced refrigeration 2 doors and 1 refrigerated part over the refrigerated mechanism. Complete stainless steel inside/outside. Stainless steel couching lid. Digital controls.

Maintenance model: XA-2P (18.093.015)  
Temperature: -2°C / +8°C  
Dimensions: 1650x850x1030mm.  
Motor: 455W  
Capacity: 7 x 1/3 GN + 1/2 GN

1766 €



## REFRIGERATED SALADBAR WITH LIDS - 3 DOORS

### XA-3P (18.093.016)

Refrigerated saladbar with forced refrigeration 3 doors and 1 refrigerated part over the refrigerated mechanism. Complete stainless steel inside/outside. Stainless steel couching lid. Digital controls.

2082 €

Maintenance model: XA-3P (18.093.016)  
Temperature: -2°C / +8°C  
Dimensions: 2215x850x1030mm.  
Motor: 600 W - 3/8Hp



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES . . . . .

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

# REFRIGERATED UPRIGHT FRIDGES

•••••CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES



DIAM 400



XTHS 1P CLASSIC

Optional wheels



XTHS 1P 2D

1/2 DOOR

1/2 DOOR



XTHS 1P 2D 2T

2 Controls

1/2 DOOR

1/2 DOOR

Technical Data	DIAM 400	XTHS 1P CLASSIC	XTHS 1P ELEGANCE	XTHS 1P 2D	XTHS 1P2D2T
Price	<b>976 €</b>	<b>1437 €</b>	<b>1357 €</b>	<b>1502 €</b>	<b>1597 €</b>
Temp. Range °C	-2 / +8	-2 / +8	-2 / +8	-2 / +8	-2 / +8
Power W	1/5 HP	3/8 HP	3/8 HP	3/8 HP	3/8 HP
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Capacity	400 lt	660 lt	660 lt	660 lt	660 lt
External dimensions	600x600x1900	770x700x2100	770x700x2100	770x700x2100	770x700x2100
Material	inox	inox	inox	inox	inox
Coolant	R 134 a	R 134 a	R 134 a	R 134 a	R 134 a
Supplies	3 shelves	3 shelves	3 shelves	3 shelves	3 shelves

Forced refrigeration, auto defrost, evaporatuer build in backpart, removable door gaskets.

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

# REFRIGERATED UPRIGHT FRIDGES

XTHS 2P CLASSIC



XTHS 2P2D2T



XTHS 2P3D3T



XTHS 3P



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES . . . . .

Technical Data	XTHS 2P CLASSIC	XTHS 2P ELEGANCE	XTHS 2P2D2T	XTHS 2P3D3T	XTHS 3P
Price	<b>2389 €</b>	<b>2150 €</b>	<b>2516 €</b>	<b>2646 €</b>	<b>2706 €</b>
Temp. Range °C	-2 / +8	-2 / +8	-2 / +8	-2 / +8	-2 / +8
Power W	660	660	660	660	720
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Capacity	1400 lt	1400 lt	1400 lt	1400 lt	2050 lt
External dimensions	1580x700x2100	1580x700x2100	1580x700x2100	1580x700x2100	2390x700x2100
Material	inox	front inox, alu inside prepainted steel rear and sites	inox	inox	inox
Coolant	R 134 a	R 134 a	R 134 a	R 134 a	R 134 a
Supplies	3 shelves/door	3 shelves/door	3 shelves/door	3 shelves/door	3 shelves/door

Forced refrigeration, auto defrost, evaporatuer build in backpart, removable door gaskets.

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

# UPRIGHT FREEZERS

**DIAM 400AVK**



**DIAM 400AVK** (18.094.003)  
One door upright freezer cabinet GN 1/1, forced refrigeration. Complete stainless steel inside/outside. Digital controls. Door gaskets are removable. Easy cleaning. Auto defrost.

Temperature: -15°C / -25°C  
Dimensions: 650x600x1950mm.  
Capacity: 370 liter  
Motor: 330 - 3/8Hp R404a

DIAM 400AVK

**1134€**

**AVK 360P**



**AVK 360P**  
Refrigerator  
650x600x1900

AVK 360P

**1234 €**

**XTHK-1P**



**XTHK-1P** (18.093.001) freezer  
One door upright freezer cabinet GN 2/1, forced refrigeration. Complete stainless steel inside/outside. Digital controls. Door gaskets are removable. Evaporator in the backside. Easy cleaning. Auto defrost.

Freezer model: XTHK-1P (18.093.001)  
Temperature: -15°C / -25°C  
Dimensions: 814x735x2140mm.  
Capacity: 660 liter  
Motor: 800w - 1/2Hp

XTHK-1P

**2.158€**

**WHEELS ARE OPTIONAL**

**XTHK-2P** (18.093.002)

Two doors upright freezer cabinet GN 2/1, forced refrigeration. Complete stainless steel inside/outside. Digital controls. Door gaskets are removable. Evaporator in the backside. Easy cleaning. Auto defrost.

Freezer model: XTHK-2P (18.093.002)  
Temperature: -15°C / -25°C  
Dimensions: 1624x735x2140mm.  
Capacity: 1415 liter  
Motor: 1300w - 3/4Hp

XTHK-2P

**3023€**

**WHEELS ARE OPTIONAL**



[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

••••• CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES