

Electrolux




RESTAURANT SUPPLIES INTERNATIONAL



CONTACT GRILLS

www.electrolux.com.mk
www.elektroluks.com.mk
+389 47 203 900
+389 2 329 8 130
made in macedonia



BLACK IRON - TRADITIONAL SUPERIORITY

Contact Grills

www.electrolux.com.mk
www.elektroluks.com.mk
+389 47 203 900
+389 2 329 8 130
made in macedonia

ADVANTAGES

...High Quality CAST IRON Alloy.

- Fast
- Energy Savers
- Simultaneous over & below grilling
- Life time materials
- Non stop operation
- Hard work - mindless
- Easy to clean
- No maintenance needed

... Constructed to perform.

... Over 600.000 pieces operating over the world, prove quality and performance of our contact grills.

www.electrolux.com.mk
www.elektroluks.com.mk
+389 47 203 900
+389 2 329 8 130
made in macedonia



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

CONTACT GRILLS

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900

+389 2 329 8 130
 made in macedonia

VP- CAST IRON (10.019.001)

Single contact grill with ribbed steel plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



Effective surface: 440cm²
 Net weight: 12kg
 Operating voltage: 230 VAC/50Hz
 Heating element power:
 Upper plate: 650W
 Lower plate: 800W
 Total: 1450W
 Dimensions:
 External: 280x380x225mm
 Upper plate: 215x205mm
 Lower plate: 220x210mm

217 €

VP- BLACK IRON
 TRADITIONAL SUPERIORITY

148 €

VSP-M (10.019.009)

Single contact grill with ribbed cast iron plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



Operating voltage: 230 VAC/50Hz
 Heating element power: 3000W
 Dimensions:
 External: 345x540x350mm
 Upper plate: 245x325mm
 Lower plate: 255x330mm
 Weight: 22 kgr

470 €

VPG-CAST IRON (10.019.002)

Single contact grill with ribbed steel plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



Effective surface: 0,057m²
 Net weight: 16,5kg
 Operating voltage: 220-240VAC/50-60Hz
 Heating element power:
 Upper plate: 900W
 Lower plate: 1100W
 Total: 2000W
 Dimensions:
 External: 420x280x250mm
 Upper plate: 225x225mm
 Lower plate: 235x255mm

253 €

VPG- BLACK IRON
 TRADITIONAL SUPERIORITY

172 €

VPG-L - CAST IRON (10.019.003)

Single contact grill with smooth steel plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



Effective surface: 0,057m²
 Net weight: 16,5kg
 Operating voltage: 220-240VAC/50-60Hz
 Heating element power:
 Upper plate: 900W
 Lower plate: 1100W
 Total: 2000W
 Dimensions:
 External: 420x280x250mm
 Upper plate: 225x225mm
 Lower plate: 235x255mm

255 €

VPG-L BLACK IRON
 TRADITIONAL SUPERIORITY

168 €

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

••••• CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130

CONTACT GRILLS

VPG -SUPER
 Single contact grill with ribbed cast iron plates and stainless steel body. Equipped with 50-300°C adjustable thermostat, pilot lamp and thermal fuse

made in macedonia



Operating voltage: 220-240VAC/50-60 Hz
 Heating element power:
 Upper plate : 900W
 Lower plate : 1100W
 Total: 2000W
 Dimensions
 External : 420 x 280 x 250
 Upper plate : 360 x 240 mm
 Lower plate : 330 x 230 mm

377 €

V2PSE
 (10.019.011)
 Double contact grill with ribbed steel plates and stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage: 230 VAC/50Hz
 Heating element power:
 Upper plate: 2x(650W)
 Lower plate: 2x(900W)
 Total: 3100W
 Dimensions:
 External: 510x430x250mm
 Upper plate: 215x235mm each
 Lower plate: 445x245mm
 Weight: 27 kgr

378 €

V2PSE- BLACK IRON
 TRADITIONAL SUPERIORITY

294 €

V2PSE-BL
 (10.019.014)
 Big double contact grill with ribbed upper plates and smooth lower plates. Stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage: 230 VAC/50Hz
 Heating element power:
 Upper plates: 2x(650W)
 Lower plates: 2x(900W)
 Total: 3100W
 Dimensions:
 External: 500x400x260mm
 Upper plate: 215x235mm each
 Lower plate: 445x245mm
 Weight: 27kg

449 €

V2PSE-BL BLACK IRON
 TRADITIONAL SUPERIORITY

290 €

V2PSE-LR
 (10.019.013)
 Big double contact grill with ½ ribbed + ½ smooth plates. Stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage: 230 VAC/50Hz
 Heating element power:
 Upper plates : 2x(650W)
 Lower plates: 2x(900W)
 Total: 3100W
 Dimensions:
 External: 500x400x260mm
 Upper plate: 215x235mm each
 Lower plate: 445x245mm
 Weight: 27kg

449 €

V2PSE-LR BLACK IRON
 TRADITIONAL SUPERIORITY

290 €

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

79

CONTACT GRILLS

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130

made in macedonia

V2PSE-L

(10.019.012)

Double contact grill with flat steel plates and stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



442 €

Operating voltage: 230 VAC/50Hz
 Heating element power:
 Upper plate: 2x(650W)
 Lower plate: 2x(900W)
 Total: 3100W
 Dimensions:
 External: 500x400x260mm
 Upper plate: 215x235mm each
 Lower plate: 445x245mm
 Weight: 27kg

V2PSE-L BLACK IRON
 TRADITIONAL SUPERIORITY

285 €

V2PSG-BL

(10.019.018)

Big double contact grill with ribbed lower and smooth upper steel plates. Stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



498 €

Operating voltage: 2 x (230 VAC/50Hz)
 Heating element power:
 Upper plates: 2 x (900 W)
 Lower plates: 2 x (1100 W)
 Total: 4000W
 Dimensions:
 External: 550x400x260mm
 Upper plate: 255x225mm each
 Lower plate: 530x235mm
 Weight: 32kg

V2PSG-BL BLACK IRON
 TRADITIONAL SUPERIORITY

338€

V2PSG

(10.019.015)

Big double contact grill with ribbed steel plates and stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamps for each plate, fat collector and 2 thermal fuses.



477 €

Operating voltage: 2x(230 VAC/50Hz)
 Heating element power:
 Upper plate: 2x(900W)
 Lower plate: 2x(1100W)
 Total: 4000W
 Dimensions:
 External: 550x400x260mm
 Upper plate: 255x225mm each
 Lower plate: 530x235mm
 Weight: 32kg

V2PSG BLACK IRON
 TRADITIONAL SUPERIORITY

342 €

V2PSG-L

(10.019.016)

Big double contact grill with smooth steel plates and stainless steel body. Equipped with two 50-300°C adjustable thermostats, pilot lamps for each plate, fat collector and 2 thermal fuses.



498 €

Operating voltage: 2x(230 VAC/50Hz)
 Heating element power:
 Upper plate: 2x(900W)
 Lower plate: 2x(1100W)
 Total: 4000W
 Dimensions:
 External: 550x400x260mm
 Upper plate: 255x225mm each
 Lower plate: 530x235mm
 Weight: 32 kg

V2PSG-L BLACK IRON
 TRADITIONAL SUPERIORITY

334 €

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

www.electrolux.com.mk
www.elektroluks.com.mk
+389 47 203 900
+389 2 329 8 130

made in macedonia

CONTACT GRILLS

V2PSG-LR

(10.019.017)

Big double contact grill with two kind of steel plates (½ ribbed + ½ smooth) and stainless steel body. Equipped with two 50-300 °C adjustable thermostats, pilot lamps for each plate, fat collector and 2 thermal fuses.



498 €

Operating voltage: 2x(230 VAC/50Hz)
Heating element power: 3100W
Dimensions:
External: 550x400x260mm
Upper plate: 215x210mm each
Lower plate: 445x225mm
Weight: 32kg

V2PSG-LR BLACK IRON
TRADITIONAL SUPERIORITY

338 €

CG1-L (10.019.006)

Single contact grill with smooth steel plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



438 €

Operating voltage: 230 VAC/50Hz
Heating element power: 2000W
Dimensions:
External: 350x420x270mm
Upper plate: 225x255mm
Lower plate: 235x255mm
Weight: 16,5kg

CG1-L BLACK IRON
TRADITIONAL SUPERIORITY

290 €

CG1-BL(10.019.007)

Single contact grill with ½ ribbed + ½ smooth steel plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



438 €

Operating voltage: 230 VAC/50Hz
Heating element power: 2000W
Dimensions:
External: 350x420x270mm
Upper plate: 225x255mm
Lower plate: 235x255mm
Weight: 16,5kg

CG1-BL BLACK IRON
TRADITIONAL SUPERIORITY

290 €

CG1-R (10.019.005)

Single contact grill with ribbed steel plates and stainless steel body. Equipped with 50-300 °C adjustable thermostat, pilot lamp, fat collector and thermal fuse.



438 €

Operating voltage: 230 VAC/50Hz
Heating element power: 2000W
Dimensions:
External: 350x420x270mm
Upper plate: 225x255mm
Lower plate: 235x255mm
Weight: 16,5kg

CG1-R BLACK IRON
TRADITIONAL SUPERIORITY

290 €

www.electrolux.com.mk
www.elektroluks.com.mk
+389 47 203 900
+389 2 329 8 130
made in macedonia

CONTACT GRILLS

www.electrolux.com.mk
www.elektroluks.com.mk

+389 47 203 900

+389 2 329 8 130

made in macedonia

CG2-R (10.019.019)

Double, large, contact grill with ribbed steel plates. Stainless steel body. Equipped with two 50-300 °C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage: 230 VAC/50Hz
 Heating element power: 4000W
 Dimensions:
 External: 610x420x270mm
 Upper plate: 255x235mm each
 Lower plate: 545x295mm
 Weight: 32kg

638 €

CG2-R BLACK IRON TRADITIONAL SUPERIORITY

422 €

CG2-L

(10.019.020)

Double, contact grill with large flat steel plates and stainless steel body. Equipped with two 50-300 °C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage: 230 VAC/50Hz
 Heating element power: 4000W
 Dimensions:
 External: 610x420x270mm
 Upper plate: 255x235mm each
 Lower plate: 545x295mm
 Weight: 32kg

657 €

CG2-BL

(10.019.022)

Double contact grill with large flat steel plates and stainless steel body. Equipped with two 50-300 °C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage: 230 VAC/50Hz
 Heating element power: 4000W
 Dimensions:
 External: 610x420x270mm
 Upper plate: 255x235mm each
 Lower plate: 545x295mm
 Weight: 32kg

657 €

CG2-LR

(10.019.021)

Double contact grill with large steel plate (½ smooth and ½ ribbed). Stainless steel body. Equipped with two 50-300 °C adjustable thermostats, pilot lamp for each plate, fat collector and 2 thermal fuses.



Operating voltage: 230 VAC/50Hz
 Heating element power: 4000W
 Dimensions:
 External: 610x420x270mm
 Upper plate: 255x235mm each
 Lower plate: 545x295mm
 Weight: 32kg

657 €

www.electrolux.com.mk
www.elektroluks.com.mk

+389 47 203 900

+389 2 329 8 130

made in macedonia

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

CONTACT GRILLS-WAFFLE IRONS-HOT DOGS

MEGA-W2

(10.027.001)

Single unit with interchangeable bruxelles/coeur plates. Upper and lower cast iron plate (GG20 DIN 1621). Waffle iron is based on a stainless steel housing (SS430). With an airtight locking surface. Easy removal of plates for cleaning. ALLEN No 6 wrench for plate screws included. Controls: Main switch ON/OFF, pilot lamp, adjustable thermostat 50-300°C/16□, time trimmer 0-5min, start button, buzzer.



Operating voltage: 230 VAC/50Hz
 Heating element power: 2200W (1100+1100)
 Dimensions: 300x400x285mm

Safety/Protection:
 Specially designed stainless steel plate frame for user protection.

725 €

MEGA-W4

(10.027.002)

Double unit interchangeable bruxelles and coeur plates. Upper and lower cast iron plates (GG20 DIN 1621). Waffle iron is based on a stainless steel housing (SS430). With an airtight locking surface. Easy removal of plates for cleaning. ALLEN No 6 wrench for plate screws included.

Control: 2 Power ON/OFF main switches, 2 thermostat pilot lamps, 2 adjustable thermostats 50-300°C/16□, 2 time trimmers 0-5min, 2 start buttons, 2 timer pilot lamps and 2 buzzers.



Operating voltage: 30 VAC/50Hz
 Heating Element: 2x2200W
 Dimensions: 600x400x285mm
 Net weight: 63,5 kg

Safety/Protection:
 Specially designed stainless steel plate frame for user protection.

1375 €

VIRON-1

Professional stainless steel waffle iron with cast iron plates, kant or heart form. Adjustable temperature 50-300°C. Removable stainless steel drip draw underneath the plates.

VIRON-1 heart form (10.027.011)

480 €

VIRON-1 kant form (10.027.009)

480 €



Operating voltage: 230 VAC/50Hz
 Element power: 4x800W
 Dimensions: 600x400x285mm

VIRON-2

Professional stainless steel double waffle iron with cast iron plates, kant or heart form. Adjustable temperature 50-300°C. Removable stainless steel drip draw underneath the plates.

VIRON-2 kant form (10.027.010)

962 €

VIRON-2 heart form (10.027.012)

962 €



Operating voltage: 230 VAC/50Hz
 Element power: 2x800W
 Dimensions: 300x400x285mm

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

HOT DOG-TOASTERS

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

HD-G

(12.029.005)

Steam hot dog with three spits for warming up bread. Equipped with a hot plate $d = 170\text{mm}$. Special pyrex (457N) glass tube with diameter $d = 200\text{mm}$, thickness $s = 5\text{mm}$, height $h = 240\text{mm}$. Stainless steel lid consisting of two half-circled parts for practical usage. Controlled by a 7-position switch, pilot lamps and On/Off switch. (ALT.: Model HD without spits).

Dimensions: 500x280x360 mm

381 €



HD

(12.029.004)

Tube capacity:	3 liters
Construction:	Upper part: Inox (s=1mm). Casing: Inox (s=0,8mm).
Power:	Hot plate 1000W, 3 Spits 3x16W
Operating voltage:	230 VAC/50Hz
Dimensions:	230x280x360mm (HD)

272 €

HD-3

Hot-dog machine with 3 spits.

$D = 170\text{mm}$ warming plate for the pyrex (457N) jug. Material: Upper casing made of antimagnetic stainless steel (S=1mm). Surround casing made of antimagnetic stainless steel (s=0,8mm).



Jug capacity:	3 Liters
Power:	2200W
Operating voltage:	230 VAC/50Hz
Dimensions:	500x280x360mm

307 €

HOT-DOG HOUSE

(70.350.201)

Stainless steel hot-dog machine. 32 sausages can be prepared at the lower part of the machine. The upper space can be used to keep 36 hot dog breads warm. The cabinet for the bread gets heated through a heating element which is by the sausages area.



Dimensions:	510(L)x360(D)x610(H)mm
Power:	800W / 230V

434 €

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia