

R138 138L



Model:R138

Description:

- * Net capacity Litre: 138L
- Fridge:95L
- Freezer:43L
- * Energy class:B
- * Refrigerant:R134a or R600a
- * AC220V/50Hz or 110V/60Hz
- * Input power:110W
- * 138L (4.9 cuft) compressor refrigerator
- * Mechanical temperature control
- * Manual Defrosting
- * Recessed handle
- * Environment-Friendly Technology
- * Optional:lock
- * Upper zone for freeze, lower zone for refrigerator
- * Manual defrost



- * 3 shelves (2 full-width and 1 half)
- * 3 full-width crystal Door Balconies
- * Temperature Range: -18 deg. C to 10 deg. C
- * Noise Level (dB):39 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,CB,RoHS,ETL,CETL

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:37KGS G.W.:39KGS
- * Product size: 480x490x1300mm
- * EC Dimension: 510x520x1325mm
- * 1*20"GP: 60pcs
- 1*40"GP: 124pcs
- 1*40"HQ: 176pcs



R130 130L



Model:R130

Description:

- * Net capacity Litre: 130L
Fridge:114L Freezer:16L
 - * Temperature range: -3~10 °C
 - * Mechanical temperature control
 - * Adjustable thermostat
 - * 100% HFC free & FCKW free
 - * Flat back & Adjustable feet
 - * Reversible door with magnetic seal
 - * 1 full-width glass shelves
 - * 1 half-width glass shelf
 - * 2 crystal crisper drawers with glass cover
 - * 3 full-width crystal door balconies
 - * Recessed handle
 - * AC 220V/50Hz or AC 110V/60HZ
 - * Input power: 85W
 - * Safety approval: CE,CB,RoHS,ETL,CETL
- Packing & Loading:

www.frinko.mk www.klimafilia.mk +389 47 203 900



- * 1PC/CTN
- * Export Standard Carton
- * N.W.:28KGS G.W.:31KGS
- * Product size: 550x560x850mm
- * EC Dimension: 580x590x880mm
- * 1*20"GP: 90pcs
- 1*40"GP: 206pcs
- 1*40"HQ: 238pcs



R35 35L



Model:R35

Description:

- * Ideal for hotel or beverage storage
- * 35 liters, 1.3 cuft
- * State of the art thermoelectric technology
- * Adjustable thermostat for ideal temp control
- * Reversible door
- * Vibration free, only moving part is the fan.
- * Adjustable level feet
- * Clean back design
- * No compressor, low noise
- * No refrigerant, environmental friendly
- * Long life, easy maintenance
- * Temperature Range:5 deg. C to 12 deg. C
- * Noise Level (dB):30 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,CB,RoHS,ETL,CETL

Packing & Loading:

www.frinko.mk www.klimafilia.mk +389 47 203 900



- * 1PC/CTN
- * Export Standard Carton
- * N.W.:9KGS G.W.:11KGS
- * Product size: 450x525x370mm
- * EC Dimension: 495x570x410mm
- * 1*20"GP: 220pcs
- 1*40"GP: 460pcs
- 1*40"HQ: 575pcs



R40 40L



Model:R40

Description:

- * Ideal for hotel or beverage storage
- * 40 liters, 1.4 cuft
- * State of the art thermoelectric technology
- * Adjustable thermostat for ideal temp control
- * Reversible door
- * Vibration free, only moving part is the fan.
- * Adjustable level feet
- * Design for 2L bottle door bracket
- * Clean back design
- * No compressor, low noise
- * No refrigerant, environmental friendly
- * Long life, easy maintenance
- * Temperature Range:5 deg. C to 12 deg. C
- * Noise Level (dB):30 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,CB,RoHS,ETL,CETL

Packing & Loading:

www.frinko.mk www.klimafilia.mk +389 47 203 900



- * 1PC/CTN
- * Export Standard Carton
- * N.W.:9.5KGS G.W.:11.2KGS
- * Product size: 430x425x500mm
- * EC Dimension: 460x465x530mm
- * 1*20"GP: 240pcs
- 1*40"GP: 500pcs
- 1*40"HQ: 600pcs

R46 46L



Model:R46
Description:

- * Net capacity Litre: 46L
- Fridge:41L (1.6 cuft with freezer)
- Freezer:5L
- * Energy class:A
- * Refrigerant:R134a or R600a
- * AC220V/50Hz or 110V/60Hz
- * Input power:85W
- * Mechanical temperature control
- * Adjustable thermostat
- * 100% HFC free & FCKW free
- * Flat back & Adjustable feet
- * Reversible door with magnetic seal
- * Ice box and water tray
- * 1 wire shelf
- * 1 half-width door rack
- * 1 full-width door rack (hold 2-liter bottle)
- * Recessed handle
- * Temperature Range:3 deg. C to 10 deg. C

www.frinko.mk www.klimafilia.mk +389 47 203 900



- * Noise Level (dB):39 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,RoHS,ETL,CETL
- * Warranty term:
 - Compressor (year): 3
 - Whole unit (year): 1
- Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:15KGS G.W.:17KGS
- * Product size: 430x480x510mm
- * EC Dimension: 460x515x530mm
- * 1*20"GP: 220pcs
- 1*40"GP: 460pcs
- 1*40"HQ: 572pcs



R48 48L



Model:R48

Description:

- * Ideal for hotel or beverage storage
- * 48 liters, 1.7 cuft
- * State of the art thermoelectric technology
- * Adjustable thermostat for ideal temp control
- * Reversible door
- * Vibration free, only moving part is the fan.
- * Adjustable level feet
- * Design for 2L bottle door bracket
- * Clean back design
- * No compressor, low noise
- * No refrigerant, environmental friendly
- * Long life, easy maintenance
- * Temperature Range:5 deg. C to 12 deg. C
- * Noise Level (dB):30 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,CB,RoHS,ETL,CETL

Packing & Loading:

www.frinko.mk www.klimafilija.mk +389 47 203 900



- * 1PC/CTN
- * Export Standard Carton
- * N.W.:10KGS G.W.:11.6KGS
- * Product size: 430x480x510mm
- * EC Dimension: 465x515x530mm
- * 1*20"GP: 220pcs
- 1*40"GP: 460pcs
- 1*40"HQ: 572pcs



R50 50L



Model:R50
Description:

- * Ideal for hotel or beverage storage
 - * 50 liters
 - * Thermoelectric cooling system (The Peltier effect)
 - * More reliable, stationary temperature and humidity
 - * No compressor, No CFC
 - * No vibration
 - * Mechanical Temperature control
 - * Thermostat with light
 - * Long life, easy maintenance
 - * Temperature Range:5 deg. C to 12 deg. C
 - * Max Temp. Reduction: 20 °C below ambient
 - * Power Input: 70W
 - * Power Consumption: 0.6Kw.h/24h (15°C)
 - * Noise Level (dB):25 dB
 - * AC 220V/50Hz or AC 110V/60HZ
 - * Safety approval: CE, CB, GS,RoHS,ETL
- Packing & Loading:

www.frinko.mk www.klimafilija.mk +389 47 203 900



- * 1PC/CTN
- * Export Standard Carton
- * N.W.:9.82KGS G.W.:12KGS
- * Product size: 430x480x510mm
- * EC Dimension: 460x515x530mm
- * 1*20"GP: 220pcs
- 1*40"GP: 460pcs
- 1*40"HQ: 568pcs



R50S 50L



Model:R50S

Description:

- * Ideal for hotel or beverage storage
- * 50 liters
- * Thermoelectric cooling system (The Peltier effect)
- * More reliable, stationary temperature and humidity
- * No compressor, No CFC
- * No vibration
- * Mechanical Temperature control
- * Thermostat with light
- * Long life, easy maintenance
- * Temperature Range:5 deg. C to 12 deg. C
- * Max Temp. Reduction: 20 °C below ambient
- * Power Input: 70W
- * Power Consumption: 0.6Kw.h/24h (15°C)
- * Noise Level (dB):25 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE, CB, GS,RoHS,ETL

Packing & Loading:

www.frinko.mk www.klimafilija.mk +389 47 203 900



- * 1PC/CTN
- * Export Standard Carton
- * N.W.:9.82KGS G.W.:12KGS
- * Product size: 430x480x510mm
- * EC Dimension: 460x515x530mm
- * 1*20"GP: 220pcs
- 1*40"GP: 460pcs
- 1*40"HQ: 568pcs

R62 62L



Model:R62
Description:

- * Net capacity Litre: 62L
- Fridge:57L (2.2 cuft with freezer)
- Freezer:5L
- * Energy class:A
- * Refrigerant:R134a or R600a
- * AC220V/50Hz or 110V/60Hz
- * Input power:85W
- * Mechanical temperature control
- * Adjustable thermostat
- * 100% HFC free & FCKW free
- * Flat back & Adjustable feet
- * Reversible door with magnetic seal
- * Ice box and water tray
- * 2 shelves (1 full and 1 half)
- * Door Cans dispenser
- * 2 Door Bin
- * Recessed handle
- * Temperature Range:3 deg. C to 10 deg. C

www.frinko.mk www.klimafilija.mk +389 47 203 900



- * Noise Level (dB):39 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,RoHS,ETL,CETL
- * Warranty term:
 - Compressor (year): 3
 - Whole unit (year): 1
- Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:19KGS G.W.:21KGS
- * Product size: 430x480x640mm
- * EC Dimension: 460x515x660mm
- * 1*20"GP: 174pcs
- 1*40"GP: 274pcs
- 1*40"HQ: 460pcs



R72 72L



Model:R72

Description:

- * Net capacity Litre: 72L (2.5 cuft) all-freezer
- Fridge:0L
- Freezer:72L
- * Energy class:A
- * Freezing star:Four Star
- * Refrigerant:R134a or R600a
- * AC220V/50Hz or 110V/60Hz
- * Input power:110W
- * Mechanical temperature control
- * Adjustable thermostat
- * 100% HFC free & FCKW free
- * Flat back & Adjustable feet
- * Reversible door with magnetic seal
- * Easy removeble wire basket drawer
- * Energy efficient design
- * Easy to clean interior
- * Manual Defrost
- * Recessed handle

www.frinko.mk www.klimafilia.mk +389 47 203 900



- * Temperature Range: below -18 degree
- * Noise Level (dB): 39 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE, RoHS, ETL, CETL
- * Warranty term:
 - Compressor (year): 3
 - Whole unit (year): 1
- Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.: 27.5KGS G.W.: 29.5KGS
- * Product size: 480x490x840mm
- * EC Dimension: 515x525x880mm
- * 1*20"GP: 112pcs
- 1*40"GP: 240pcs
- 1*40"HQ: 276pcs



R80 80L



Model:R80

Description:

- * Capacity:80L
- * Two cooling system
- * Temperature range: 3~12 °C
- * Good for hotel or beverage storage
- * State of the art thermoelectric technology
- * Adjustable thermostat for ideal temp control
- * Auto defrost
- * Reversible door
- * Vibration free, only moving part is the fan.
- * Adjustment level foot
- * Design for 2L bottle door bracket
- * Clean back design
- * No compressor, low noise
- * No refrigerant, environmental friendly
- * Long life, easy maintenance
- * No vibration-bottle sediment is not disturbed
- * Only moving parts are fans to circulate interior air
- * AC 220V/50Hz or AC 110V/60HZ

www.frinko.mk www.klimafilija.mk +389 47 203 900



* Noise Level (dB):30 dB
* Safety approval: CE,GS,RoHS,ETL
Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:16KGS G.W.:19KGS
- * Product size: 450x525x730mm
- * EC Dimension: 500x575x760mm
- * 1*20"GP: 132pcs
- 1*40"GP: 288pcs
- 1*40"HQ: 333pcs



R80S 80L



Model:R80S

Description:

- * Capacity:80L
- * Two cooling system+Silver door
- * Temperature range: 3~12 °C
- * Good for hotel or beverage storage
- * State of the art thermoelectric technology
- * Adjustable thermostat for ideal temp control
- * Auto defrost
- * Reversible door
- * Vibration free, only moving part is the fan.
- * Adjustment level foot
- * Design for 2L bottle door bracket
- * Clean back design
- * No compressor, low noise
- * No refrigerant, environmental friendly
- * Long life, easy maintenance
- * No vibration-bottle sediment is not disturbed
- * Only moving parts are fans to circulate interior air
- * AC 220V/50Hz or AC 110V/60HZ

www.frinko.mk www.klimafilija.mk +389 47 203 900



* Noise Level (dB):30 dB
* Safety approval: CE,GS,RoHS,ETL
Packing & Loading:

* 1PC/CTN
* Export Standard Carton
* N.W.:16KGS G.W.:19KGS
* Product size: 450x525x730mm
* EC Dimension: 500x575x760mm
* 1*20"GP: 132pcs
1*40"GP: 288pcs
1*40"HQ: 333pcs

R88 88L



Model:R88

Description:

- * Net capacity Litre: 88L
- Fridge:83L (3.1 cuft with freezer)
- Freezer:5L
- * Energy class:A
- * Refrigerant:R134a or R600a
- * AC220V/50Hz or 110V/60Hz
- * Input power:85W
- * Mechanical temperature control
- * Adjustable thermostat
- * 100% HFC free & FCKW free
- * Flat back & Adjustable feet
- * Reversible door with magnetic seal
- * Ice box and water tray
- * 2 shelves (1 full-width and 1 half)
- * Door Cans dispenser (7 Cans)
- * 3 Door Bin
- * Recessed handle
- * Temperature Range:3 deg. C to 10 deg. C

www.frinko.mk
 www.klimafilia.mk
 +389 47 203 900



- * Noise Level (dB):39 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,RoHS,ETL,CETL
- * Warranty term:
 - Compressor (year): 3
 - Whole unit (year): 1
- Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:22KGS G.W.:24KGS
- * Product size: 430x490x825mm
- * EC Dimension: 460x540x850mm
- * 1*20"GP: 138pcs
- 1*40"GP: 288pcs
- 1*40"HQ: 330pcs

R88F 88L



Model:R88F

Description:

- * Net capacity Litre: 88L (3.1 cuft) all-freezer
- Fridge:0L
- Freezer:88L
- * Energy class:A
- * Freezing star:Four Star
- * Refrigerant:R134a or R600a
- * AC220V/50Hz or 110V/60Hz
- * Input power:110W
- * Mechanical temperature control
- * Adjustable thermostat
- * 100% HFC free & FCKW free
- * Flat back & Adjustable feet
- * Reversible door with magnetic seal
- * Easy removeble wire basket drawer
- * Energy efficient design
- * Easy to clean interior
- * Manual Defrost
- * Recessed handle



- * Temperature Range: below -18 degree
- * Noise Level (dB): 39 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE, RoHS, ETL, CETL
- * Warranty term:
 - Compressor (year): 3
 - Whole unit (year): 1
- Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.: 30.5KGS G.W.: 33.5KGS
- * Product size: 550x570x850mm
- * EC Dimension: 580x590x880mm
- * 1*20"GP: 90pcs
- 1*40"GP: 206pcs
- 1*40"HQ: 239pcs



R95 95L



Model:R95
Description:

- * Net capacity Litre: 95L
Fridge:83L Freezer:12L
- * Energy class:A
- * Refrigerant:R134a or R600a
- * AC220V/50Hz or 110V/60Hz
- * Input power:85W
- * 95L (3.4 cuft) compressor refrigerator
- * Mechanical temperature control
- * Adjustable thermostat
- * 100% HFC free & FCKW free
- * Flat back & Adjustable feet
- * Reversible door with magnetic seal
- * Ice box and water tray
- * 2 shelves (1 full-width and 1 half)
- * Door Cans dispenser
- * 3 Door Bin
- * Recessed handle
- * Temperature Range:3 deg. C to 10 deg. C

www.frinko.mk www.klimafilia.mk +389 47 203 900



- * Noise Level (dB):39 dB
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,CB,RoHS,ETL,CETL
- * Warranty term:
 - Compressor (year): 3
 - Whole unit (year): 1
- Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:23KGS G.W.:25KGS
- * Product size: 480x490x840mm
- * EC Dimension: 510x520x870mm
- * 1*20"GP: 112pcs
- 1*40"GP: 240pcs
- 1*40"HQ: 276pcs



R118 118L



Model:R118

Description:

- * Net capacity Litre: 118L
Fridge:103L Freezer:15L
 - * Temperature range: -18~10 °C
 - * Mechanical temperature control
 - * Adjustable thermostat
 - * 100% HFC free & FCKW free
 - * Flat back & Adjustable feet
 - * Reversible door with magnetic seal
 - * 1 full-width glass shelves
 - * 1 half-width glass shelf
 - * 2 crystal crisper drawers with glass cover
 - * 3 full-width crystal door balconies
 - * Recessed handle
 - * AC 220V/50Hz or AC 110V/60HZ
 - * Input power: 85W
 - * Safety approval: CE,CB,RoHS,ETL,CETL
- Packing & Loading:

www.frinko.mk www.klimafilia.mk +389 47 203 900



- * 1PC/CTN
- * Export Standard Carton
- * N.W.:30KGS G.W.:33KGS
- * Product size: 550x560x850mm
- * EC Dimension: 580x590x880mm
- * 1*20"GP: 90pcs
- 1*40"GP: 206pcs
- 1*40"HQ: 238pcs



R128 128L



Model:R128

Description:

- * Net capacity Litre: 128L
- Fridge:88L
- Freezer:40L
- * Energy class:B
- * Refrigerant:R134a or R600a
- * AC220V/50Hz or 110V/60Hz
- * Input power:110W
- * 128L (4.5 cuft) compressor refrigerator
- * Mechanical temperature control
- * Manual Defrosting
- * Recessed handle
- * Environment-Friendly Technology
- * Optional:lock
- * Upper zone for freeze, lower zone for refrigerator
- * Manual defrost
- * 3 shelves (2 full-width and 1 half)
- * Door Cans dispenser
- * 3 Door Bin

www.frinko.mk www.klimafilia.mk +389 47 203 900



* Temperature Range: -18 deg. C to 10 deg. C

* Noise Level (dB):39 dB

* AC 220V/50Hz or AC 110V/60HZ

* Safety approval: CE,CB,RoHS,ETL,CETL

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:35KGS G.W.:37KGS

* Product size: 430x480x1300mm

* EC Dimension: 480x530x1325mm

* 1*20"GP: 80pcs

1*40"GP: 160pcs

1*40"HQ: 200pcs