

# = PVC ACCESORIES =

## PVC ACCESORIES



CTV50

### INTEL COLLECTOR

MODEL	CONNECTION Ø	WEIGHT Kg	VOLUME m3	UNIT Box
MXAI 2.C	IMXA 2.C	10,5	0,091	1



MP

### PVC FLANGES

MODEL	CONNECTION Ø	DRILL HOLES N°	WEIGHT Kg	VOLUME m3	UNIT Box
MP1075.B	75	4	14,4	0,030	36
MP1090.B	90	8	15,1	0,030	32
MP1110.B	110	8	13,0	0,030	22
MP1125.B	125	8	10,0	0,030	18
MP1140.B	140	8	12,9	0,030	18
MP1160.B	160	8	9,5	0,030	10
MP1200.B	200	8	11,8	0,029	9
MP1225.B	225	8	10,7	0,029	7
MP1250.B	250	12	21,0	0,050	9



#### FLANGE ADAPTOR

MODEL	CONNECTION Ø	WEIGHT Kg	VOLUME m3	UNIT Box
BA1075.B	75	4,0	0,015	21
BA1090.B	90	9,8	0,030	30
BA1110.B	110	8,8	0,030	20
BA1125.B	125	13,9	0,048	24
BA1140.B	140	14,5	0,048	18
BA1160.B	160	13,5	0,048	12
BA1200.B	200	9,8	0,048	7
BA1225.B	225	12,6	0,064	6
BA1250.B	250	13,2	0,090	4



BF

#### FIXED FLANGE

MODEL	CONNECTION Ø	DRILL HOLES N°	WEIGHT Kg	VOLUME m3	UNIT Box
BF1075.B	75	4	20,0	0,048	34
BF1090.B	90	8	19,8	0,048	26
BF1110.B	110	8	16,6	0,048	18
BF1125.B	125	8	13,0	0,048	12
BF1140.B	140	8	15,7	0,048	10
BF1160.B	160	8	16,4	0,074	10
BF1200.B	200	8	17,0	0,061	9
BF1250.B	250	12	9,8	0,061	2



#### FLAT GASKET

MODEL	CONNECTION Ø	WEIGHT Kg	VOLUME m3	UNIT Box
JP1075.B	75	--	0,007	60
JP1090.B	90	--	0,007	64
JP1110.B	110	--	0,007	48
JP1125.B	125	--	0,007	44
JP1140.B	140	--	0,007	25
JP1160.B	160	--	0,015	25
JP1200.B	200	--	0,015	20
JP1225.B	225	--	0,016	25
JP1250.B	250	--	0,060	45



T

#### SCREWS, NUTS AND WASHERS

MODEL	SCREWS DIN 93156	NUTS DIN 934	WASHERS DIN 125	WEIGHT Kg	VOLUME m3	UNIT Box
T16110.B	(1) M16 X 110	(1) M16	(1) Ø 16	0,23	--	1
T16130.B	(2) M16 X 130	(2) M16	(2) Ø 16	0,27	--	1
T16140.B	(3) M16 X 140	(3) M16	(3) Ø 16	0,28	--	1
T16150.B	(4) M16 X 150	(4) M16	(4) Ø 16	0,30	--	1
T20140.B	(5) M20 X 140	(5) M20	(5) Ø 20	0,48	--	1
T20150.B	(6) M20 X 150	(6) M20	(6) Ø 20	0,51	--	1
T20170.B	(7) M20 X 170	(7) M20	(7) Ø 20	0,54	--	1
T20180.B	(8) M20 X 180	(8) M20	(8) Ø 20	0,56	--	1
T20210.B	(9) M20 X 210	(9) M20	(9) Ø 20	0,59	--	1
T20230.B	(10) M20 X 230	(10) M20	(10) Ø 20	0,61	--	1

#### VALVE MODEL AND SIZE WHERE EACH SCREW MAY BE USED



SCREWS TYPE	FLANGES																	
	Ø 75		Ø 90		Ø 110		Ø 125		Ø 140		Ø 160		Ø 200		Ø 225		Ø 250	
	LIBR	FIJ	LIBR	FIJ	LIBR	FIJ	LIBR	FIJ	LIBR	FIJ	LIBR	FIJ	LIBR	FIJ	LIBR	FIJ	LIBR	FIJ

(1) T16110 .B		✓		✓		✓													
(2) T16130 .B	✓		✓					✓		✓									
(3) T16140 .B						✓													
(4) T16150 .B								✓		✓									
(5) T20140 .B													✓						
(6) T20150 .B																✓			
(7) T20170 .B												✓							
(8) T20180 .B															✓				
(9) T20210 .B																	✓		✓
(10) T20230 .B																			✓

**PVC ACCESSORIES THREADED SERIES**



MDR20

**NIPPLE DOUBLE-THREADED**


MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
MDR20 50.C	1 1/2"	4,7	0,031	70
MDR20 63.C	2"	5,7	0,031	96


**PVC ACCESSORIES SOCKET SERIES**


MODEL	ELBOW FEMALE - FEMALE			WEIGHT Kg	VOLUME m3	QTY Box
	CONNECTION Ø mm	ANGLE				
CD9010	CD9010 40.C	40	90°	9,2	0,031	100
	CD9010 50.C	50	90°	10,1	0,031	60
	CD9010 63.C	63	90°	7,0	0,031	30
	CD4510 40.C	40	45°	9,0	0,031	120
	CD4510 50.C	50	45°	9,9	0,031	70
	CD4510 63.C	63	45°	8,0	0,031	40
	CD4510					


MODEL	ELBOW FEMALE - MALE			WEIGHT Kg	VOLUME m3	QTY Box
	CONNECTION Ø mm	ANGLE				
CD9115	CD9115 50.C	50	90°	15,3	0,048	100

	CD9115 63.C	63	90°	16,7	0,048	60	CD4615
	CD4610 50.C	50	45°	16,2	0,048	120	
	CD4610 63.C	63	45°	8,0	0,048	60	

 TE9010	TEE FEMALE					
	MODEL	CONNECTION	ANGLE	WEIGHT	VOLUME	QTY
		Ø mm		Kg	m3	Box
	TE9010 40.C	40	90°	9,2	0,031	70
	TE9010 50.C	50	90°	9,8	0,031	40
TE9010 63.C	63	90°	6,8	0,031	20	

 CZ10	CROSS					
	MODEL	CONNECTION	ANGLE	WEIGHT	VOLUME	QTY
		Ø mm		Kg	m3	Box
	CZ10 50.C	50	90°	7,4	0,031	30
	CZ10 63.C	63	90°	6,7	0,031	15

 MU10	ADAPTOR SOCKET					
	MODEL	CONNECTION	WEIGHT	VOLUME	QTY	
		Ø mm	Kg	m3	Box	
	MU10 40.C	40	9,8	0,031	180	
	MU10 50.C	50	8,8	0,031	100	
MU10 63.C	63	8,7	0,031	60		

 CR10	REDUCING SOCKET					
	MODEL	CONNECTION	WEIGHT	VOLUME	QTY	
		Ø mm	Kg	m3	Box	
	CR 10 42.C	40 X 32	10,1	0,031	500	
	CR 10 51.C	50 X 25	15,7	0,031	---	
CR 10 53.C	50 X 40	16,3	0,031	300		
CR 10 65.C	63 X 50	13,8	0,031	160		

EL

News

ΕΛΕΚΤΡΟΛΥΞ  
Electrolux  
Macedonia  
Palenzo



TP10

## CAP

MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
TP 10 50.C	50	14,9	0,031	200
TP 10 63.C	63	10,5	0,031	100



EH10

## UNIONS FEMALE - FEMALE

MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
EH 10 40.C	40	16,1	0,048	100
EH 10 50.C	50	30,3	0,048	100
EH 10 63.C	63	27,6	0,048	72



EHS10

## UNIONS FEMALE - MALE

MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
EHS10 50.C	50	19,1	0,048	75
EHS10 63.C	63	19,4	0,048	50

## PVC ACCESSORIES MIXED SERIES



CD9030

## ELBOW FEMALE - FEMALE

MODEL	CONNECTION Ø	ANGLE	WEIGHT Kg	VOLUME m3	QTY Box
CD9030 40.C	40 X 1 1/4"	90°	9,8	0,031	100
CD9030 50.C	50 X 1 1/2"	90°	11,3	0,031	60
CD9030 63.C	63 X 2"	90°	12,7	0,031	40



CD9135

## ELBOW FEMALE - MALE

MODEL	CONNECTION Ø	ANGLE	WEIGHT Kg	VOLUME m3	QTY Box
CD9135 50.C	50 X 1 1/2"	90°	19,1	0,031	100



TE9030

## TEE FEMALE

MODEL	CONNECTION Ø	ANGLE	WEIGHT Kg	VOLUME m3	QTY Box
TE9030 40.C	40 X 1 1/4" X 40	90°	9,2	0,031	70

TE9030 50.C	50 X 1 1/2" X 50	90°	11,1	0,031	50
TE9030 63.C	63 X 2" X 63	90°	10,3	0,031	25



MU30

ADAPTOR SOCKETS

MODEL	CONNECTION Ø	WEIGHT Kg	VOLUME m3	QTY Box
MU30 40.C	40 X 1 1/4"	10,0	0,015	150
MU30 50.C	50 X 1 1/2"	12,8	0,030	110
MU30 63.C	63 X 2"	11,1	0,030	60



MR30

ADAPTOR NIPPLE

MODEL	CONNECTION Ø	WEIGHT Kg	VOLUME m3	QTY Box
MR30 40.C	32-40 X 1 1/4"	5,5	0,031	96
MR30 50.C	40-50 X 1 1/2"	13,5	0,031	130
MR30 63.C	50-63 X 2"	11,5	0,031	72



TRM30

ADAPTOR BUSHES

MODEL	CONNECTION Ø	WEIGHT Kg	VOLUME m3	QTY Box
TRM30 40.C	40-50 X 1 1/4"	11,3	0,031	70
TRM30 50.C	50-63 X 1 1/2"	9,1	0,031	60
TRM30 63.C	63-75 X 2"	11,9	0,031	72



EH30

UNIONS FEMALE

MODEL	CONNECTION Ø	WEIGHT Kg	VOLUME m3	QTY Box
EH30 50.C	50 X 1 1/2"	20,5	0,048	72
EH30 63.C	63 X 2"	24,8	0,048	60



EHR30

UNIONS Female socket-Male threaded

MODEL	CONNECTION Ø	WEIGHT Kg	VOLUME m3	QTY Box
EHR30 50.C	50 X 2"	17,7	0,048	60




EHM30

UNIONS Female socket-Male threaded


MODEL	CONNECTION Ø	WEIGHT Kg	VOLUME m3	QTY Box
EHM30 50.C	50 X 1 1/2"	15,5	0,030	75





EHM30 63.C	63 X 2"	15,2	0,048	50
------------	---------	------	-------	----

 EHM20	Female socket-Male thread with o-ring				
	MODEL	CONNECTION Ø	WEIGHT Kg	VOLUME m3	QTY Box
	EHM20 50.C	50 X 1 1/2"	6,6	0,030	50
EHM20 63.C	63 X 2"	15,9	0,048	72	

## BALL VALVES

 VEP	BALL VALVES HDPE SEALS - SOCKET SERIES				
	MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
	VEP 25.D	25	7,9	0,031	40
	VEP 32.D	32	12,7	0,031	40
	VEP 40.D	40	7,3	0,031	16
	VEP 50.D	50	12,4	0,031	16
	VEP 63.D	63	11,2	0,031	10
	VEP 75.D	75	8,8	0,031	3
	VEP 90.D	90	8,8	0,031	3


 VET	BALL VALVES PTFE SEALS - SOCKET SERIES				
	MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
	VET 25.D	25	9,4	0,034	48
	VET 32.D	32	9,5	0,034	30
	VET 40.D	40	16,4	0,061	36
	VET 50.D	50	18,6	0,061	24
	VET 63.D	63	17,9	0,061	16
	VET 75.D	75	15,4	0,061	6
	VET 90.D	90	15,4	0,061	3


 VRP	BALL VALVES HDPE SEALS - THREADED SERIES				
	MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
	VRP 25.D	3/4"	7,9	0,031	40
	VRP 32.D	1"	12,7	0,031	40
	VRP 40.D	1 1/4"	7,3	0,031	16
	VRP 50.D	1 1/2"	12,4	0,031	16
	VRP 63.D	2"	11,2	0,031	10
	VRP 75.D	2 1/2"	8,8	0,031	3
	VRP 90.D	3"	8,8	0,031	3



## CHECK AND FOOT VALVES


EPDM seal and stainless steel spring XILAR 400.


 <b>VAR</b>	CHECK VALVES					
	MODEL	CONNECTION Ø mm	FIXING	WEIGHT Kg	VOLUME m <sup>3</sup>	QTY Box
	VAR10 50.B	50	SOCKET	11,8	0,061	24
	VAR10 63.B	63	SOCKET	11,3	0,061	16
	VAR10 75.B	75	SOCKET	8,0	0,048	6
	VAR10 90.B	90	SOCKET	8,3	0,048	4
	VAR20 50.B	1 1/2"	THREADED	11,7	0,061	24
	VAR20 63.B	2"	THREADED	11,3	0,061	16
	VAR20 90.B	3"	THREADED	8,3	0,048	4

 <b>VP</b>	FOOT VALVES					
	MODEL	CONNECTION Ø mm	FIXING	WEIGHT Kg	VOLUME m <sup>3</sup>	QTY Box
	VP10 50.B	50	SOCKET	6,0	0,048	12
	VP10 63.B	63	SOCKET	8,6	0,048	12
	VP20 50.B	1 1/2"	THREADED	6,0	0,048	12
	VP20 63.B	2"	THREADED	8,6	0,048	12
	VP20 90.B	3"	THREADED	8,6	--	4

## WAFER CHECK VALVES

Wafer check valves. EPDM seal and gasket. Assembled with flanges, gaskets, nuts and screws.


 <b>VAC10</b>	WAFER CHECK VALVES				
	MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m <sup>3</sup>	QTY Box
	VAC10 75.B	75	0,4	0,0004	1
	VAC10 90.B	90	0,4	0,0004	1
	VAC10 110.B	110	0,6	0,0006	1
	VAC10 125.B	125	0,7	0,0008	1
	VAC10 140.B	140	0,8	0,0008	1
	VAC10 160.B	160	1,2	0,0013	1
	VAC10 200.B	200	1,8	0,0018	1
	VAC10 225.B	225	2,2	0,0026	1

EL News				
VAC10 250.B	250	2,8	0,0030	1

## BUTTERFLY VALVES


### BUTTERFLY VALVES

EPDM seal and O-rings.

 VWE	MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
	VWE1075.B	75	22,5	0,061	15
	VWE1090.B	90	24,0	0,061	15
	VWE1110.B	110	19,0	0,061	10
	VWE1125.B	125	23,0	0,061	10
	VWE1140.B	140	23,0	0,061	10
	VWE1160.B	160	28,0	0,061	8
	VWE1200.B	200	24,0	0,061	4
	VWE1250.B	250	9,1	0,047	1

### MOTORIZED BUTTERFLY VALVES

EPDM seal and O-rings, with electric actuator at 220 V.A.C.

 VWM	MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
	VWM075.B	75	2,6	--	1
	VWM090.B	90	3,7	--	1
	VWM110.B	110	3,9	--	1
	VWM125.B	125	4,1	--	1
	VWM140.B	140	4,1	--	1
	VWM160.B	160	8,8	--	1
	VWM200.B	200	11,2	--	1
	VWM250.B	250	14,7	--	1

### WAFER BUTTERFLY VALVES ASSEMBLED WITH BACKING RING

MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
VWBM075.B	75	22,8	0,061	6
VWBM090.B	90	32,4	0,061	6

EL

News

ΕΛΕΚΤΡΟΛΥΣ  
Electrolux  
Macedonia  
Palenzo



VWBM

VWBM110.B	110	25,2	0,061	4
VWBM125.B	125	31,2	0,061	4
VWBM140.B	140	31,6	0,061	4
VWBM160.B	160	12,3	0,030	1
VWBM200.B	200	18,0	0,050	1
VWBM225.B	225	17,5	0,050	1
VWBM250.B	250	28,8	0,090	1

### WAFER BUTTERFLY VALVES ASSEMBLED WITH BACKING RING



VWBS

MODEL	CONNECTION Ø mm	WEIGHT Kg	VOLUME m3	QTY Box
VWBS075.B	75	22,2	0,061	6
VWBS090.B	90	30,6	0,061	6
VWBS110.B	110	23,6	0,061	4
VWBS125.B	125	30,0	0,061	4
VWBS140.B	140	31,6	0,061	4
VWBS160.B	160	11,5	0,030	1
VWBS200.B	200	16,5	0,050	1
VWBS250.B	250	27,3	0,090	1