Dometic The Satisfaction Network.



ometic Design miniBars

Style and function at its best.









Dometic The Satisfaction Network

AT DOMETIC, we perceive ourselves as system suppliers and experts in professional In-Room marketing, which is essential to satisfy your guests. Our far-stretched service network covers more than 180 countries and offers personal support on all continents. Experts ensure competent on-site advice and comprehensive after-sales support. THIS IS HOW DOMETIC achieves maximum satisfaction on either side – be it hotel owners, hotel managers or your guests. And it explains why hotel managers all over the world consider Dometic as their partner of choice. Dometic is undeniably the No. 1 with more than 4 millions installed miniBars world-wide. It has a lot to do with our expertise, accumulated in the 8 decades following our inventing the absorption technology. You can sense it, but you can't copy it.

Dometic Design miniBars

Modern design

The discerning eye is absolutely pleased with the perfect harmony of form and function, design and handling.

Entirely noiseless operation

Apart from the fact that Dometic's absorption technology is most eco-friendly, it also respects your guests' need for peace and quiet.

Controlled performance

The unique, sensor-controlled cooling unit (CUC System) ensures perfect cooling performance with any Dometic miniBar.

Fuzzy Logic Energy Control

Our patented Fuzzy Logic control software ensures the lowest possible energy and operating costs when using absorption-type miniBars. Independent tests of the energy consumption have proven that a Dometic miniBar considerably cuts your energy expenses, even compared to other absorption-type models. Depending on the number of units, you can easily save thousands of Euro per year.*

Everything to protect the environment

Dometic miniBars are free of CFCs and HCFCs. Just as important: Only Dometic factories are certified as per ISO 9001 and ISO 14001/EMAS, which guarantees both top quality and ecological compatibility.

■ No need for a maintenance contract Dometic miniBars are maintenance-free and immune to the usual wear and tear, so they do not create any problem for your in-house maintenance department.

*Depending on the number of miniBars used in your hotel

A DOMETIC MINIBAR belongs to the standard of leading hotels, no matter how many stars it has. And while the extreme comfort and advanced technology of our mini-Bars ensures fully satisfied guests, our special design models add a very enticing appearance.







Dometic miniBar 456 LD/LDE

This trendsetting design has won many awards. Capacity: 56 litres (incl. noncooled 16 litre compartment). For built-in or free-standing use. Curved door with an acrylic glass front. Illuminated unrefrigerated compartment. Door opening indicator. Numerous options for door decor panels in the case of project orders. Sensor-controlled LED interior light. Fuzzy Logic Energy Control. Unique, sensor-controlled surveillance of the cooling unit (CUC system). Automatic defrost.

Capacity (litres) 56	Dimensions (H x W x D in mm)	
- of which refrigerated 40	RH 456 LD	721 x 450 x 505
- of which unrefrigerated 16	RH 456 LDE	658 x 450 x 503
Average input	Doorhang convertible left/right	yes, upon request
(Watt) 52	Shelves	1
Consumption	Racks at inner door	3
(kWh/24h) 0,9	- for miniature bottles	2
	- for bottles and cans	1
	Special feature	Door decor panel interchangeable

Reduced energy consumption means higher profits

DOMETIC ALWAYS COMES OUT TOP! Minimum energy consumption, lowest costs for absorption-type miniBars. Independently tested and certified. Put us to the test and compare those technical data in catalogues that refer to ISO 7371: Dometic absorption-type miniBars always score the highest.

	Dometic miniBar RH 455 LD	Competitor product
Calculated energy use per day/per unit	0,8 kWh	1,55 kWh
Energy costs per year with the operation of at least 100 miniBars (Basis 0.10 €/kWh/day)	2.920 €	5.657 €
Energy costs after 10 years	29.200	56.570 €

Dometic miniBar RH 455 LD

MiniBar on wheels for free-standing use. 55 litre capacity (35 litres refrigerated). Sensor-controlled LED interior light. Fuzzy Logic Energy Control. Automatic defrost. Unique, sensor-controlled surveillance of the cooling unit (CUC system). Comes standard with a "Westphalia" beech trim (almost every colour available in the case of project orders). Door fitted with a snap lock. Adjustable inner door configuration with 3 racks (two for miniatures, one for large bottles). Door opening indicator. Compartment for glasses, snacks and non cooled drinks. Installation of a Dometic miniSafe possible (SV 160 or SKE 160).

Capacity (litres)	55	Dimensions (H x W x D in mm)	780 x 420 x 445
- of which refrigerated	35	Doorhang convertible left/right	no*
- of which unrefrigerated	20	Shelves	1
Average input		Racks at inner door	3
(Watt)	52	- for miniature bottles	2
Consumption		- for bottles and cans	1
(kWh/24h) (0,8	Special features	Red-dot door opening control

* For project orders, also available with left-hand hinges.





The practical red-dot door opening control shows whether the miniBar has been opened. You'll see at first glance if it's necessary to check and refill.



Opt for more variety. If you place a project order, you can get the decor that perfectly matches your furnishing concept.

Dometic SilverGiant

The designer miniBar on wheels for flexible use, e.g. free-standing. 90 litres capacity (40 litres cooled). Sensor-controlled LED interior light. Fuzzy Logic Energy Control. Unique, sensor-controlled surveillance of the cooling unit (CUC system). Automatic defrost. Variable interior door configuration. Large compartment for glasses, snacks and non-cooled drinks.

Capacity (litres)	90	Dimensions (H x W x D in mm)	975 x 415 x 470
- of which refrigerated	40	Doorhang convertible left/right	no
- of which unrefrigerated	50	Shelves	2
Average input		Racks at inner door	2
(Watt)	52	- for miniature bottles	1
Consumption		- for bottles and cans	1
(kWh/24h)	0,9		
			_





Dometic Black**Box**

Functional perfection in a contemporary design: the 40 litre miniBar on wheels. Sensor-controlled LED interior light. 2 shelves and 2 interior door racks. Fuzzy Logic Energy Control. Unique, sensor-controlled surveillance of the cooling unit (CUC system). Automatic defrost.

Capacity (litres)	40	Dimensions (H x W x D in mm)	640 x 415 x 470
- of which refrigerated	40	Doorhang convertible left/right	no
- of which unrefrigerated	d -	Shelves	2
Average input		Racks at inner door	2
(Watt)	52	- for miniature bottles	1
Consumption		- for bottles and cans	1
(kWh/24h)	0,9		



Dometic miniBar **RH 440 LDG**

This appealing 40 litre model with glass door heightens the standard of comfort in any room. Sensor-controlled interior lights are activated when door is opened. 2 shelves. Fuzzy Logic Energy Control. Unique, sensor-controlled monitoring of cooling unit (CUC system). Automatic defrost.

Capacity (litres) 40	Dimensions (H x W x D in mm)	554 x 401 x 446
- of which refrigerated 40	Doorhang convertible left/right	yes
- of which unrefrigerated -	Shelves	2
Average input	Special features	Available extras:
(Watt) 52		door lock and
Consumption		red-dot door
(kWh/24h) 1,1		opening control





Dometic miniBar **RH 461 LDG**


60 litre capacity. For built-in or free-standing use. The glass door stretches from corner to corner, which allows to seductively present the content. Sensorcontrolled LED interior light, activated when door is opened. Fuzzy Logic Energy Control. Unique, sensor-controlled monitoring of cooling unit (CUC system). Automatic defrost.

Capacity (litres)	60	Dimensions (H x W x D in mm)	563 x 486 x 474
- of which refrigerat	ed 60	Doorhang convertible left/right	yes
- of which unrefriger	ated -	Shelves	2
Average input			(one of them for
(Watt)	64		miniature bottles)
Consumption		Special features	Available extras: door lock and
(kWh/24h)	1,45		red-dot door
			opening control



Ventilation

If you consider integrating a Dometic miniBar into the furniture, you should never forget that the cooling unit needs fresh air! These sketches show various ways how to integrate and ventilate a miniBar. The open cross-section for fresh air supply and extracted air must be at least 200 cm^2 , and the air flow around the cooling unit should be unhindered. If you have any questions, Dometic's experts are happy to answer them.



Sufficient ventilation can be accomplished even in furniture that reaches higher up. For cooling purposes, the air needs to flow freely around the cooling unit and exit unhindered at the top. • The opening for supply air can also be built into the furniture plinth. Please note that the footprint must not hinder the air from passing the cooling unit freely. • Should you want to place the miniBar on the floor panel of your furniture, make sure to use the 40 mm feet (optional accessory). These and an air grille integrated in the furniture door ensure sufficient ventilation. Both miniBar and furniture door can be connected via a swing hinge which compensates for the different pivot points.

The World of Dometic

DOMETIC is a leading international supplier of special refrigerators as well as other systems and products designed to meet the specific needs of discerning users for increased comfort away from home. They are developed and manufactured for use in leisure applications such as recreational vehicles and pleasure boats, but Dometic also supplies special refrigeration for medical and hospital applications.

Dometic is organised in two business areas, RV and Pleasure Boat Systems and Special Refrigeration Systems. Dometic has production facilities in 10 countries, its own sales and marketing operations in 35 countries plus 65 distributors globally. The 2002 turnover amounted to approximately 700 million Euro, realised with the help of approximately 4,000 employees.



Dometic. Your guarantee for satisfied guests.

The Dometic expert near you.

Regional Office South Africa Dometic (PTY) Ltd. Phone + 27 13 933 3254 Fax + 27 13 933 3030 jackie.oneill@eleisure.co.za

Australia Dometic Pty Ltd. Phone + 61 395 455 655 Fax + 61 395 455 966 dometic@dometic.com.au

Bangladesh Unity Services Ltd. Phone + 880 2 988 1306 Fax + 880 2 988 3025 modunity@bdmail.net

Canada Dometic Corporation Phone + 1 519 653 4390 Fax + 1 519 653 4243 lodging@dometicusa.com

Croatia Optimist d.o.o. Phone + 385 1 2308 094 Fax + 385 1 2336 386 optimist@net.hr

Cyprus Hadjikyriakos & Sons Ltd. Phone +357 22 872 111 Fax +357 22 663 391 info@hadjikyriakos.com.cy

Denmark Dometic AB Phone +45 45 26 45 50 Fax +45 45 26 45 59 info@dometic.dk

Egypt Basco Engineering & Trading Phone +20 2 2906997 Fax +20 2 2906774 basco@link.net

Finland Dometic O Phone +358-9-68 66 110 +358-9-68 66 11 22 info@dometic.fi

Greece Samaras Bros Phone + 30 2310 321 091 Fax + 30 2310 321 090 polief96@otenet.gr

Hong Kong/Macau/China Dometic Pte Ltd Phone + 852 2489 9228 Fax + 852 2489 9279 louis@dometic.com.hk

Hungary Dometic Rt. Phone + 36 57 41 6371 Fax + 36 57 41 6490 erzsebet.nemes@dometic.hu

India / Nepal Eagle Forgings Phone + 91 11 26918430 Fax + 91 11 26845484 akeagle@mantraonline.com Regional Office Asia Dometic Pte. Ltd.

Phone + $65 \ 6 \ 795 \ 3178$ Fax + $65 \ 6 \ 862 \ 6620$ chandra8@dometic.com.sg

> Indonesia P.T. EMS Indoappliances Phone + 62 21 830 5746 Phone + $62\ 21\ 830$ Fax + $62\ 21\ 831$ emsindo@cbn.net.id

Africa

Iran Tarani Technical & Trading Phone +98 21 871 9612/13 Fax +98 21 872 8030 info@taranico.com

Israel Hotelo Ltd Phone +972 3 927 9713 Fax +972 3 927 9716 gideon.bs@hotelo.com

Korea Hotel Restaurant Services Phone + 82 2 3453 5000 Fax + 82 2 3453 5001 hschung@hrs.co.kr

Lebanon Electro Group S.A.R.L. Phone + 961 1 398 558 Fax +961 1 397 201 cckgp@netgate.com.lb

Malaysia EMS Asia Group SDN.BHD Phone + 603 55 69 3968 Fax + 603 55 6939 69 siva@ems-asiagroup.com

Malta Forestals Group of Companies FGL Commercial Sales Ltd. Phone +356 2343 6000 Fax +356 2134 4709 atabone@forestals.com

New Zealand Leisure Appliances New Zealand Ltd. Phone + 64 4 380 9392 Fax + 64 4 380 9398 customerservices@nzleisure.co.nz

Norway Dometic AB Phone +47 81 50 01 40 Fax +47 22 63 55 66 truls.lie@dometic.no

Oman Bahwan Trading Co. LLC. Phone + 968 793 741 Fax + 968 700 442 ceg@suhailbahwangroup.com

Philipines Technolux Phone + 632 896 4941 Fax + 632 899 4528 rgs@technolux.net

Poland Electrolux Poland Sp. Zo.o. Phone + 48 22 434 73 00 Fax + 48 22 434 73 02 renata.fedorowicz@electrolux.com

Regional Office Middle East & North Dometic AB Phone + 971 4 321 2160 Fax + 971 4 321 2170

Export Office Stockholm Dometic AB Phone + 46 8 501 025 00 Fax + 46 8 501 025 98 sales@dometic.se

dometic@emirates.net.ae Singapore

Dometic Pte. Ltd. Phone + 65 6 795 3177 Fax + 65 6 862 6620 dometic@dometic.com.sg

Slovenia Team Commerce D.O.O. Phone + 386 5 6300760 Fax + 386 5 6284 367 info@team-commerce.si

Sri Lanka S.A. Electricals Pvt. Ltd. Phone + 94 1 2693265 Fax + 94 1 2691754 jakbs@dialogsl.net

Sweden Dometic AB Phone + 46 8 501 025 31 Fax + 46 8 501 025 98/99 hans.hermansson@dometic.se

Taiwan The Eslite Corporation Phone + 886 2 2503 7687 Fax + 886 2 2506 9372 jacktsai@eslite.com.tw

Thailand Thanakorn Holding Co. Ltd. Phone + 66 2 718 0118 Fax + 66 2 718 0088 thanakorn.thai@usa.net

Turkey Enta A.S. Phone + 90 212 292 8900 Fax + 90 212 245 4731 info@entaturk.com

UK / Ireland

Dometic Ltd. Phone + 44 1 582 494 111 Fax + 44 1 582 490 197 info@dometic.co.uk

United Arab Emirates Jumbo Electronics Co. Ltd. (LLC) Phone + 971 4 336 7 999 Fax +971 4 336 0 495

dometic.minibar@jumbo.co.ae USA

Dometic Corporation Phone + 1 574 294 8665 Fax + 1 574 294 3369 lodging@dometicusa.com

Vietnam Do Business Consulting Phone + 84 8 8242426 Fax + 84 8 8242428 dbconslt@hcm.vnn.vn

The Sign of Comfort

www.dometic.com