

Bitola – Braka Mingovi Br. 18

Telefon -- 00389 47 203 330

Faks -- 00389 47 203 900

www.elektroluks.mk



Skopje – Apostol Guslarot br.1a

Telefon– 00389 02 3298130

Faks – 00389 02 3298130

www.electrolux.mk

E-mail : electrolux@t-home.mk

FUNCTIONAL FEATURES 1433L Series

An ergonomic, multiple, bar-mounted seating system specially developed for public and private waiting areas.

A row of seating with armrests assembled in sets of 3, 4 or 5 seats. Seat and backrest are two separate parts. This means that the position of the backrest does not depend on that of the seat, so that it provides optimal support to the back at all times. The chrome-plated arms are an integral part of the assembly and clearly mark the boundaries of each individual seat.



Seat and backrest are made of matt-finish IF727 material. They can also be supplied fully upholstered in natural leather or fire-resistant fabric.

The metal structures of this series are painted with black powder epoxy as standard, but chrome-plated finish is also available.

This series can also incorporate, as an option, tables in between the seats or at the end of a row. A double shared table is yet another possibility in the case of seats installed back-to-back.

These seating systems are mounted on structures with moveable L-shaped feet incorporating unobtrusive height-regulators that can be used to compensate for any unevenness in the floor.



ELECTROLUX – ELEKTROLUKS – MACEDONIA -- MAKEDONIJA

Bitola – Braka Mingovi Br. 18

Telefon -- 00389 47 203 330

Faks -- 00389 47 203 900

www.elektroluks.mk



Skopje – Apostol Guslarot br.1a

Telefon– 00389 02 3298130

Faks – 00389 02 3298130

www.electrolux.mk

E-mail : electrolux@t-home.mk



55

21.6"

221


87"

55

21.6"

78

30.7"




276

108.6"

55

21.6"



TECNICAL CHARACTERISTICS

STRUCTURE:

Steel plate and tube, welded with continuous arc.

PAINT:

Electrostatic powder epoxy

Coating thickness: 70-80 micra

Grid adherence: 100%

Bitola – Braka Mingovi Br. 18

Telefon -- 00389 47 203 330

Faks -- 00389 47 203 900

www.elektroluks.mk



Skopje – Apostol Guslarot br.1a

Telefon– 00389 02 3298130

Faks – 00389 02 3298130

www.electrolux.mk

E-mail : electrolux@t-home.mk

UPHOLSTERY:

Pilling: Index 5 BS 5811

Test on fire resistance performance:

Specifications: UNE/23727

NF/92507

ALUMINIUM:

Material: UNE L-2630

Breaking Load: 20 Kg./ mm²

POLYPROYLENE:

Material: IF-727 Copolymer Polypropylene

Resistance to breakage DIN 53455 : 28 N/ mm²

Resistance to impact DIN 53453: without breakage

CHROME PLATING:

Coating thickness: 20-micron minimum

