



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovaj cifez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Electroluks vo spratno se snosat posedici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povreda na avtorsko pravo)

13113 SERIES FUNCTIONAL FEATURES



Folding chair that stands out because of its excellent balance between comfort and minimum use of space. The seat tips up automatically.

The seat consists of a compact single block of cold moulded polyurethane foam that fully covers the internal metal structure of the seat. This structure comprises a curved tubular frame, a mesh of flat springs and hinge pins for the seat to tip up. The block is covered with an easily removable and replaceable zip-on upholstery. The backrest is constructed in the same manner as the seat. The armrests also consist of a compact single block of cold moulded polyurethane foam that fully covers the internal metal structure of the arm.



Ergonomics has been the primary aspect for designing both seat and back cushions and the seat enhances maximum comfort.

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Between the upholstery and the foam of both the seat and the back, there is a 5-mm thick TS System fire curtain that keeps fire from reaching the foam, thus preventing the emission of toxic gases and flames.

The seat tips up automatically thanks to an extremely quiet double spring system inside the seat shell (tested to 500,000 cycles) that requires no lubrication of any kind.

The chair is mounted on two feet connected by a central steel bridge which supports the backrest, and two side wings that also support the hinge pins on which the seats rests.



In conjunction with the F 45 table, this is an ideal solution for long working sessions and conferences.

Ovo je crtež e sopstvenost na Electrolux-Bitola. Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Electroluks vo sprotivno se snosat posledici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povreca na avtorsko pravo)

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk




ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovo je sopshtvenost na Electrolux-Bitola. Bez negovo pismo odobruvanje istiot nesmee da se prepisuva, umnozava niti kopira bez soglasnost od Electroluks vo sprotivno se snosat posedici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povreda na avtorsko pravo)

TECNICAL CHARACTERISTICS



STRUCTURE:

Steel plate and tube, welded with continuous arc.

POLYURETHANE FOAM:

Seat density: 65 Kg. m³

Back density: 57 Kg. m³

PAINT:

Electrostatic powder epoxy

Coating thickness: 70-80 micra

Grid adherence: 100%

UPHOLSTERY:

Pilling: Index 5 BS 5811

ALUMINIUM:

Material: UNE L-2630

Breaking load: 20kg/sq mm

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

FIRE STANDARDS

England:BS5852. Section 5. Ignition Sources 0, 1 and 5

Germany:DIN54342 part 1 and 2

Italy:CSE RF/4/83 class 1. IM

Spain/France:UNE 23727/NF 92-503

Upholstery: M1/Foam: M4/Plastic: M3

WEIGHT: 27 Kg.

VOLUME: 0,16 m3 (K.D.)

Ovo je cifez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Electroluks vo sprativno se snosat posedici vo smistana clenovite 163 i 164 od kriticniot zakon R.M. (povreda na avtorsko pravo)

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk