

LGE140

Gripper unit



L	G	E	1	4	0	V	B	1	0
1			2		3	4	5		



1 Series	2 Size	3 Jaws mount style	
-----------------	---------------	---------------------------	--

LGE = Gripper unit

140

V = 90°

O = 180°



4 Jaws style	5 Control module
---------------------	-------------------------


B = upper and lower jaws opening;
double tips - available only with
vertical jaws mount style

F = upper and lower jaws opening;
single tips - available only with
vertical jaws mount style

L = fixed lower, upper jaws opening;
double tips

10 = 1 connector -
standard software

20 = 2 connector -
standard software




DATUM OPENING ANGLE	α ANGLE	β ANGLE
15°	15°	3°
30°	30°	14°
45°	45°	29,5°
60°	60°	44°
75°	75°	58°


Temperature range : 5° + 40°C
Opening angles available : **See table**
Work position : vertical
Class protection : **IP 65**

Size	Clamping Torque	Sec. to clamping point	Max weight
140	140 Nm	0,7 sec x 90°	2,5 Kg.

Subject to technical modifications without notice



SEEN BY X



Ordering code

LGE 140 V F _ _ _
 |
 | Module
 | Arm type
 | Arm position
 |
 | Size
 | Series

* : TOLERANCE FOR DOWEL HOLES ± 0.02
FOR SCREW HOLES ± 0.1

Rev. 02 del 01 | 02 | 06

Page. **H02.01**

UNIVER S.p.A. Headquarters:
I - 20128 MILANO Via Eracilio, 31 - Tel. +39-0225298-1 - Fax +39-022575254 - www.univer-group.com
A TERMINE DI LEGGE CI RISERVIAMO LA PROPRIETA' DI QUESTO DISEGNO CON DIVIETO ASSOLUTO DI RIPRODURRE O DI RENDERSI COMUNQUE NOTO A TERZI O DITTE CONCORRENTI SENZA NOSTRA SPECIFICA AUTORIZZAZIONE

