



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Elektroluks Mini-barovi i Frizideri



Ovaj ctrez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Elektroluks vo sproitvno se snosat posledici vo smislana clenovite 163 i 164 od kivicniot zakon R.M. (povreda na avtorsko pravo)

Elektroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje
www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovaj crtez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisiva ,umnozava niti kopira bez soglasnost od Electroluks vo sproitno se snosat posledici vo smislana clenovite 163 i 164 od kivicniot zakon R.M. (povreda na avtorsko pravo)

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

KOMPRESORSKI SISTEM		KBC375 S	
BRUTO GOLEMINA	L	375	
NETO GOLEMINA	L	350	
DIMENZII	(mm) (W X D X H)	590x600x1675	
PROCENKA NA MOKTA/EL.STRUJA	(Watt)	310	
POTROSUVACKA NA ENERGIJA	(kwh/24h)	2,6	
FREKFENCIJA NA VOLTAZATA	(V / Hz)	220-240/50Hz	
RAZLADUVAC	(g)	R134a / 160	
KLIMATSKA KLASA		4 C	
TEMPERATURNO NIVO	(C)	+2 / +10	
INSULACIONEN MATERIJAL	(kg / m3)	C-PENTANE/40	
NETO TEZINA	(kg)	73	
POLNENJE (CONT & TIR)	(20 / 40 / TIR)	27 / 57 / 84	

KOMPRESORSKI SISTEM		KBC375 C	
BRUTO GOLEMINA	L	375	
NETO GOLEMINA	L	350	
DIMENZII	(mm) (W X D X H)	590x600x1715	
PROCENKA NA MOKTA/EL.STRUJA	(Watt)	310	
POTROSUVACKA NA ENERGIJA	(kwh/24h)	2,7	
FREKFENCIJA NA VOLTAZATA	(V / Hz)	220-240/50Hz	
RAZLADUVAC	(g)	R134a / 160	
KLIMATSKA KLASA		4 C	
TEMPERATURNO NIVO	(C)	+2 / +10	
INSULACIONEN MATERIJAL	(kg / m3)	C-PENTANE/40	
NETO TEZINA	(kg)	75	
POLNENJE (CONT & TIR)	(20 / 40 / TIR)	27 / 57 / 84	

KOMPRESORSKI SISTEM		KBC375 CH	
BRUTO GOLEMINA	L	375	
NETO GOLEMINA	L	350	
DIMENZII	(mm) (W X D X H)	590x600x1840	
PROCENKA NA MOKTA/EL.STRUJA	(Watt)	310	
POTROSUVACKA NA ENERGIJA	(kwh/24h)	2,8	
FREKFENCIJA NA VOLTAZATA	(V / Hz)	220-240/50Hz	
RAZLADUVAC	(g)	R134a / 160	
KLIMATSKA KLASA		4 C	
TEMPERATURNO NIVO	(C)	+2 / +10	
INSULACIONEN MATERIJAL	(kg / m3)	C-PENTANE/40	
NETO TEZINA	(kg)	80	
POLNENJE (CONT & TIR)	(20 / 40 / TIR)	27 / 57 / 84	

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovaj ctez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Electroluks vo sproitno se snosat posledici vo smislana clenovite 163 i 164 od kivicniot zakon R.M. (povreda na avtorsko pravo)



KBC25C

KOMPRESORSKI SISTEM		KBC25 C
BRUTO GOLEMINA	L	20
NETO GOLEMINA	L	18
DIMENZII (mm) (W X D X H)		324x345x530
PROCENKA NA MOKTA/EL.STRUJA (Watt)		100
POTROSUVACKA NA ENERGIJA (kwh/24h)		0,8
FREKFENCIJA NA VOLTAZATA (V / Hz)		220-240/50Hz
RAZLADUVAC (g)		R134a / 50
KLIMATSKA KLASA		4 C
TEMPERATURNI NIVO (C)		+2 / +8
INSULACIONEN MATERIJAL (kg / m3)		C-PENTANE/40
NETO TEZINA (kg)		19
POLNENJE (CONT & TIR) (20 / 40 / HC)		340 / 696 / 696

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovaj ctez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istof nesmee da se prepisiva ,umnozava nifi kopira ,bez soglasnost od Electroluks vo sproitvno se snosat posledici vo smislana clenovite 163 i 164 od kivicniot zakon R.M. (povreda na avtorsko pravo)



KOMPRESORSKI SISTEM	KBC35 C
BRUTO GOLEMINA	L 35
NETO GOLEMINA	L 32
DIMENZII (mm) (W X D X H)	385x430x510
PROCENKA NA MOKTA/EL.STRUJA (Watt)	100
POTROSUVACKA NA ENERGIJA (kwh/24h)	0,8
FREKVCENCIJA NA VOLTAZATA (V / Hz)	220-240/50Hz
RAZLADUVAC (g)	R134a / 50
KLIMATSKA KLASA	4 C
TEMPERATURNI NIVO (C)	+2 / +8
INSULACIONEN MATERIJAL (kg / m3)	C-PENTANE/40
NETO TEZINA (kg)	19
POLNENJE (CONT & TIR) (20 / 40 / HC)	260 / 540 / 540

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje
www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovaj cfez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Electroluks vo sproitvo se snosat posledici vo smislana clenovite 163 i 164 od kivicniot zakon R.M. (povreda na avtorsko pravo)



KBC50C

KOMPRESORSKI SISTEM		KBC50 C
BRUTO GOLEMINA	L	51
NETO GOLEMINA	L	50
DIMENZII (mm) (W X D X H)		430x425x740
PROCENKA NA MOKTA/EL.STRUJA (Watt)		150
POTROSUVACKA NA ENERGIJA (kwh/24h)		1,1
FREKFENCIJA NA VOLTAZATA (V / Hz)		220-240/60Hz
RAZLADUVAC (g)		R134a / 50
KLIMATSKA KLASA		4 C
TEMPERATURNI NIVO (C)		+2 / +8
INSULACIONEN MATERIJAL (kg / m3)		C-PENTANE/40
NETO TEZINA (kg)		28
POLNENJE (CONT & TIR) (20 / 40 / HC)		225 / 405 / 405

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovaj ctez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira ,bez soglasnost od Electroluks vo sproitno se snosat posledici vo smislana clenovite 163 i 164 od kivicniot zakon R.M. (povreda na avtorsko pravo)



KOMPRESORSKI SISTEM		KBC50 C
BRUTO GOLEMINA	L	91
NETO GOLEMINA	L	90
DIMENZII (mm) (W X D X H)		497x505x840
PROCENKA NA MOKTA/EL.STRUJA (Watt)		225
POTROSUVACKA NA ENERGIJA (kwh/24h)		1,5
FREKFENCIJA NA VOLTAZATA (V / Hz)		220-240/50Hz
RAZLADUVAC (g)		R134a / 90
KLIMATSKA KLASA		4 C
TEMPERATURNI NIVO (C)		+2 / +8
INSULACIONEN MATERIJAL (kg / m3)		C-PENTANE/40
NETO TEZINA (kg)		38
POLNENJE (CONT & TIR) (20 / 40 / HC)		112 / 236 / 236

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovaj crtez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Electroluks vo sproitvno se snosat posledici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povreda na avtorsko pravo)



Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovaj ctez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozuva niti kopira bez soglasnost od Electroluks vo sproitvno se snosat posledici vo smislana clenovite 163 i 164 od kivicniot zakon R.M. (povreda na avtorsko pravo)

Electroluks is registered trademark of Electroluks companies in Macedonia and other countries

ABSORCISKI SISTEM		KMB 60 W
RAZLADUVACKI KAPACITET	L	60
DIMENZII (mm) (W x D x H)		482x505x570
ELEKTRICNA PROCENKA (WATT)		75
ENERGETSKA POTROSUVACKA (kwh / 24h)		1,1
FREKVENCIJA NA VOLTAZATA (V / Hz)		220-240 / 50-60
FREKVENCIJA NA VOLTAZATA (V / Hz)		220-240/50Hz
STRUJA (amp)		0,33
RAZLADUVANJE		NH3
NIVO NA RAZLADUVANJE (g)		170
INSULACIONEN MATERIJAL		C-PENTANE / 40
TEMPERATURNO NIVO (C)		+10 / +16
NETO TEZINA (kg)		18
POLENJE NA REZERVOAROT (20 / 40 / 40 HC)		168/352/368

KOMPRESORSKI SISTEM		KBC375W
BRUTO GOLEMINA	L	375
NETO GOLEMINA	L	350
DIMENZII (mm) (W X D X H)		590x600x1675
PROCENKA NA MOKTA/EL.STRUJA (Watt)		310
POTROSUVACKA NA ENERGIJA (kwh/24h)		2,5
FREKVENCIJA NA VOLTAZATA (V / Hz)		220-240/50Hz
RAZLADUVAC (g)		R134a / 160
KLIMATSKA KLASA		4 C
TEMPERATURNO NIVO (C)		+4 / +18
INSULACIONEN MATERIJAL (kg / m3)		C-PENTANE/40
NETO TEZINA (kg)		73
POLNENJE (CONT & TIR) (20 / 40 / HC)		27 / 57 / 84

KOMPRESORSKI SISTEM		KBC375W
BRUTO GOLEMINA	L	375
NETO GOLEMINA	L	350
DIMENZII (mm) (W X D X H)		590x600x1840
PROCENKA NA MOKTA/EL.STRUJA (Watt)		310
POTROSUVACKA NA ENERGIJA (kwh/24h)		2,6
FREKVENCIJA NA VOLTAZATA (V / Hz)		220-240/50Hz
RAZLADUVAC (g)		R134a / 160
KLIMATSKA KLASA		4 C
TEMPERATURNO NIVO (C)		+4 / +18
INSULACIONEN MATERIJAL (kg / m3)		C-PENTANE/40
NETO TEZINA (kg)		80
POLNENJE (CONT & TIR) (20 / 40 / HC)		27 / 57 / 84

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovaj crtez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozava niti kopira bez soglasnost od Electroluks vo sproitvno se snosat posledici vo smislana clenovite 163 i 164 od kivicniot zakon R.M. (povreda na avtorsko pravo)



Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje
www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



ЕЛЕКТРОЛУКС Electrolux

Factory - Intelligent Engineering, Shop, Sales and Service

Ovaj crtez e sopstvenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisiva ,umnozava niti kopira bez soglasnost od Electroluks vo sproitno se snosat posledici vo smislana clenovite 143 i 144 od kivicniot zakon R.M. (povreda na avtorsko pravo)

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries

KOMPRESORSKI SISTEM		KBC375W
BRUTO GOLEMINA	L	375
NETO GOLEMINA	L	350
DIMENZII (mm) (W X D X H)		590x600x1675
PROCENKA NA MOKTA/EL.STRUJA (Watt)		310
POTROSUVACKA NA ENERGIJA (kwh/24h)		2,5
FREKFENCIJA NA VOLTAZATA (V / Hz)		220-240/50Hz
RAZLADUVAC (g)		R134a / 160
KLIMATSKA KLASA		4 C
TEMPERATURNO NIVO (C)		+4 / +18
INSULACIONEN MATERIJAL (kg / m3)		C-PENTANE/40
NETO TEZINA (kg)		73
POLNENJE (CONT & TIR) (20 / 40 / HC)		27 / 57 / 84

KOMPRESORSKI SISTEM		KBC375W
BRUTO GOLEMINA	L	375
NETO GOLEMINA	L	350
DIMENZII (mm) (W X D X H)		590x600x1675
PROCENKA NA MOKTA/EL.STRUJA (Watt)		310
POTROSUVACKA NA ENERGIJA (kwh/24h)		2,5
FREKFENCIJA NA VOLTAZATA (V / Hz)		220-240/50Hz
RAZLADUVAC (g)		R134a / 160
KLIMATSKA KLASA		4 C
TEMPERATURNO NIVO (C)		+4 / +18
INSULACIONEN MATERIJAL (kg / m3)		C-PENTANE/40
NETO TEZINA (kg)		73
POLNENJE (CONT & TIR) (20 / 40 / HC)		27 / 57 / 84

KOMPRESORSKI SISTEM		KBC375W
BRUTO GOLEMINA	L	375
NETO GOLEMINA	L	350
DIMENZII (mm) (W X D X H)		590x600x1675
PROCENKA NA MOKTA/EL.STRUJA (Watt)		310
POTROSUVACKA NA ENERGIJA (kwh/24h)		2,5
FREKFENCIJA NA VOLTAZATA (V / Hz)		220-240/50Hz
RAZLADUVAC (g)		R134a / 160
KLIMATSKA KLASA		4 C
TEMPERATURNO NIVO (C)		+4 / +18
INSULACIONEN MATERIJAL (kg / m3)		C-PENTANE/40
NETO TEZINA (kg)		73
POLNENJE (CONT & TIR) (20 / 40 / HC)		27 / 57 / 84

Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk