

DC80 80 liters



Model:DC80

Description:

- * 80 liters
- * Cooling: by compressor
- * Temperature can be adjustable manually between 0-10°C
- * Refrigerant:R134a/55g
- * Input power: 94W
- * Power consumption: 1.0kW•h/24h
- * Climate class: N
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,RoHS,ETL

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:28KGS G.W.:31KGS
- * Product size: 460x470x933mm
- * EC Dimension: 505x501x977mm
- * 1*20"GP: 88pcs



1*40"GP: 184pcs
1*40"HQ: 184pcs



DC58 58 liters



Model:DC58

Description:

- * 58 liters
- * Cooling: by compressor
- * Temperature can be adjustable manually between 0-10°C
- * Refrigerant:R134a/45g
- * Input power: 82W
- * Power consumption: 0.85kW•h/24h
- * Climate class: N
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,RoHS,ETL

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:22KGS G.W.:25KGS
- * Product size: 420x460x793mm
- * EC Dimension: 465X491X837mm
- * 1*20"GP: 110pcs
- 1*40"GP: 240pcs
- 1*40"HQ: 360pcs

www.frinko.mk www.klimafilia.mk +389 47 203 900



Eurolux



ФРИНКО

БИТОЛА



СЕРВИС

ЕЛЕКТРОЛУКС

DC48 48 liters



Model:DC48

Description:

- * 48 liters
- * Cooling: by compressor
- * Temperature can be adjustable manually between 0-10°C
- * Refrigerant:R134a/45g
- * Input power: 82W
- * Power consumption: 0.7kW•h/24h
- * Climate class: N
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,RoHS,ETL

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:23KGS G.W.:25KGS
- * Product size: 480x515x648mm
- * EC Dimension: 525X546X692mm
- * 1*20"GP: 132pcs

www.frinko.mk www.klimafilia.mk +389 47 203 900



1*40"GP: 264pcs
1*40"HQ: 264pcs



DC42 42 liters



Model:DC42

Description:

- * 42 liters
- * Cooling: by compressor
- * Temperature can be adjustable manually between 0-10°C
- * Refrigerant:R134a/40g
- * Input power: 82W
- * Power consumption: 0.7kW•h/24h
- * Climate class: N
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,RoHS,ETL

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:19KGS G.W.:21KGS
- * Product size: 400*415*733mm
- * EC Dimension: 445X446X777mm
- * 1*20"GP: 195pcs

www.frinko.mk www.klimafilia.mk +389 47 203 900



1*40"GP: 390pcs
1*40"HQ: 390pcs



Eurolux



ФРИНКО

БИТОЛА



СЕРВИС

ЕЛЕКТРОЛУКС

DC21 21 liters



Model:DC21

Description:

- * 21 liters
- * Cooling: by compressor
- * Temperature can be adjustable manually between 0-10°C
- * Refrigerant:R134a/36g
- * Input power: 76W
- * Power consumption: 0.7kW•h/24h
- * Climate class: N
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,RoHS,ETL

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:16KGS G.W.:17.5KGS
- * Product size: 330*415*655mm
- * EC Dimension: 355x445x700mm
- * 1*20"GP: 240pcs

www.frinko.mk www.klimafilia.mk +389 47 203 900



1*40"GP: 495pcs
1*40"HQ: 495pcs

DC20 20 liters



Model:DC20

Description:

- * 20 liters
- * Cooling: by compressor
- * Temperature can be adjustable manually between 0-10°C
- * Refrigerant:R134a/32g
- * Input power: 82W
- * Power consumption: 0.7kW•h/24h
- * Climate class: N
- * AC 220V/50Hz or AC 110V/60HZ
- * Safety approval: CE,RoHS,ETL

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.:15KGS G.W.:16.5KGS
- * Product size: 330*360*585mm
- * EC Dimension: 375x396x629mm
- * 1*20"GP: 252pcs



1*40"GP: 540pcs
1*40"HQ: 720pcs